



**ROAD TRAFFIC REGULATION ACT 1984 - SECTIONS 64 AND 65
AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS**

The Secretary of State for Transport, in exercise of his powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984, and of all other powers enabling him in that behalf, for the purpose of informing road users of turning prohibitions and areas of road that may be used only by buses and other specified classes of vehicular traffic at appropriate sites on roads for which Nottingham City Council is the traffic authority, hereby:

1. authorises the erection at the said sites of a traffic sign (hereinafter referred to as "the authorised sign A") conforming as to size, colour and character with that referenced "Authorised Sign A" in the attached set of drawings numbered GT50/117/0004, save that: the days and times of operation may be added, varied or omitted; the legend "by" and the goods vehicle symbol may be omitted; the legend "and for loading by" and the goods vehicle symbol may be omitted; and
2. authorises the erection at the said sites of a traffic sign (hereinafter referred to as "the authorised sign B") conforming as to size, colour and character with that referenced "Authorised Sign B" in the said set of drawings, save that: the days and times of operation may be added, varied or omitted; the legend "by" and the goods vehicle symbol may be omitted; the legend "and for loading by" and the goods vehicle symbol may be omitted; and
3. authorises the erection at the said sites of a traffic sign (hereinafter referred to as "the authorised sign C") conforming as to size, colour and character with that referenced "Authorised Sign C" in the said set of drawings, save that: the days and times of operation may be added, varied or omitted; the legend "by" and the goods vehicle symbol may be omitted; the legend "and for loading by" and the goods vehicle symbol may be omitted; and



4. authorises the erection at the said sites of a traffic sign (hereinafter referred to as "the authorised sign D") conforming as to size, colour and character with that referenced "Authorised Sign D" in the said set of drawings, save that: the days and times of operation may be added, varied or omitted; the legend "by" and the goods vehicle symbol may be omitted; the legend "and for loading by" and the goods vehicle symbol may be omitted; and
5. authorises the erection at the said sites of a traffic sign (hereinafter referred to as "the authorised sign E") conforming as to colour and character with that referenced "Authorised Sign E" in the said set of drawings, save that: Schedule 16 to the Traffic Signs Regulations (Part I of SI 2002/3113, "the 2002 Regulations") may apply to the authorised sign E in the same manner as it applies to the sign shown in diagram 2108 in Schedule 7 to the 2002 Regulations; the minimum x-height of any destination shown shall be 75 mm; the symbol diameter shall be 20 stroke widths; the minimum x-height of the sub-plate legend shall be 60 mm, or 80% of the x-height of any destination shown; one or more of the symbols referenced "Parking zone symbol detail" in the said set of drawings may be added; and
6. authorises the erection at the said sites of a traffic sign (hereinafter referred to as "the authorised sign F") conforming as to colour and character with that referenced "Authorised Sign F" in the said set of drawings, save that: Schedule 16 to the 2002 Regulations may apply to the authorised sign F in the same manner as it applies to the sign shown in diagram 2108 in Schedule 7 to the 2002 Regulations; the x-height of any destination shown shall be a minimum of 75 mm; the symbol diameter shall be 20 stroke widths; the x-height of the sub-plate legend shall be a minimum of 60 mm, or shall be 80% of that of any destination shown; one or more of the symbols referenced "Parking zone symbol detail" in the said set of drawings may be added; and



7. authorises the erection at the said sites of a traffic sign (hereinafter referred to as "the authorised sign G") conforming as to colour and character with that referenced "Authorised Sign G" in the said set of drawings, save that: Schedule 16 to the 2002 Regulations may apply to the authorised sign G in the same manner as it applies to the sign shown in diagram 2114 in Schedule 7 to the 2002 Regulations; the x-height of any destination shown shall be a minimum of 60 mm; the x-height of the sub-plate legend shall be a minimum of 50 mm, or shall be 80% of that of any destination shown; one or more of the symbols referenced "Parking zone symbol detail" in the said set of drawings may be added; and
8. authorises the erection at the said sites of a traffic sign (hereinafter referred to as "the authorised sign H") conforming as to size, colour and character with that referenced "Authorised Sign H" in the said set of drawings, save that: Schedule 16 to the 2002 Regulations may apply to the authorised sign H in the same manner as it applies to the sign shown in diagram 2114 in Schedule 7 to the 2002 Regulations; the x-height of any destination shown shall be a minimum of 60 mm; the x-height of the sub-plate legend shall be a minimum of 50 mm, or shall be 80% of that of any destination shown; one or more of the symbols referenced "Parking zone symbol detail" in the said set of drawings may be added; and
9. authorises the erection at the said sites of a traffic sign consisting of a plate (hereinafter referred to as "the authorised plate A") conforming as to size, colour and character with that referenced "Authorised Plate A" in the said set of drawings; and
10. authorises the erection at the said sites of a traffic sign consisting of a plate (hereinafter referred to as "the authorised plate B") conforming as to size, colour and character with that referenced "Authorised Plate B" in the said set of drawings; and



11. authorises the erection at the said sites of a traffic sign consisting of a plate (hereinafter referred to as "the authorised plate C") conforming as to size, colour and character with that referenced "Authorised Plate C" in the said set of drawings; and
12. directs that, notwithstanding the provisions of Direction 20(1) of the Traffic Signs General Directions 2002 (Part II of SI 2002/3113, "the 2002 Directions"), the sign shown in diagram 953 in Schedule 5 to the 2002 Regulations may be used in combination with the authorised plate A; and
13. directs that the authorised plate B may only be used in combination with a sign conforming to diagram 609, diagram 612 or diagram 613 in Schedule 2 to the 2002 Regulations; and
14. directs that, notwithstanding the provisions of Direction 20(1) of the 2002 Directions, the sign shown in diagram 617 in Schedule 2 to the 2002 Regulations may be used in combination with the authorised plate C; and
15. directs that it is a condition of this authorisation that the authorised sign A, the authorised sign B, the authorised sign C the authorised sign D, the authorised sign E, the authorised sign F, the authorised sign G, the authorised sign H, the authorised plate A, the authorised plate B and the authorised plate C may be placed only to indicate the effect of a corresponding Traffic Regulation Order; and



16. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the erection of the authorised sign A, the authorised sign B, the authorised sign C, the authorised sign D, the authorised sign E, the authorised sign F, the authorised sign G, the authorised sign H, the authorised plate A, the authorised plate B and the authorised plate C at the said sites shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised sign A, the authorised sign B, the authorised sign C, the authorised sign D, the authorised sign E, the authorised sign F, the authorised sign G, the authorised sign H, the authorised plate A, the authorised plate B and the authorised plate C, and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised sign A, the authorised sign B, the authorised sign C and the authorised sign D in the same manner as they apply to the sign shown in diagram 618.2 in Schedule 2 to those Regulations.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised sign E and the authorised sign H in the same manner as they apply to the sign shown in diagram 2114 in Schedule 7 to those Regulations.


The provisions of Regulations 12, 18, 19 and 24 of the 2002 Regulations shall apply to the authorised sign F and the authorised sign G in the same manner as they apply to the sign shown in diagram 2108 in Schedule 7 to those Regulations.



The provisions of Regulations 12 and 20 of the 2002 Regulations shall apply to the authorised plate A, the authorised plate B and the authorised plate C in the same manner as they apply to the plate shown in diagram 953.2 in Schedule 5 to those Regulations.


Dated..... 1 July 2011

Signed by authority of the Secretary of State



.....
A Delegated Official of the Department for Transport

CERTIFIED TRUE COPY



DEPARTMENT FOR TRANSPORT



Sign Ref: Authorised Sign A

Character height 62.5 mm
x-height 37.5 mm

Reflectorisation Class RA2 (BS EN 12899-1; 2007)

Tile edges do not form part of the sign.

Department for Transport	
1 July 2011	
Date	
GT50/1117/0004	
No.	



Sign Ref: Authorised Sign B

Character height 62.5 mm
x-height 37.5 mm

Reflectorisation Class RA2 (BS EN 12899-1; 2007)

Tile edges do not form part of the sign.



Sign Ref: Authorised Sign C

Character height 62.5 mm
x-height 37.5 mm

Reflectorisation Class RA2 (BS EN 12899-1; 2007)

Tile edges do not form part of the sign.



Sign Ref: Authorised Sign D

Character height 62.5 mm
x-height 37.5 mm

Reflectorisation Class RA2 (BS EN 12899-1; 2007)


Tile edges do not form part of the sign.



Sign Ref: Authorised Sign E

Reflectorisation Class RA2 (BS EN 12899-1; 2007)


Tile edges do not form part of the sign.



Sign Ref: Authorised Sign F

Reflectorisation Class RA2 (BS EN 12899-1; 2007)

Tile edges do not form part of the sign.



Sign Ref: Authorised Sign G

Reflectorisation Class RA2 (BS EN 12899-1; 2007)

Tile edges do not form part of the sign.



Sign Ref: Authorised Sign H

Reflectorisation Class RA2 (BS EN 12899-1; 2007)

Tile edges do not form part of the sign.



Sign Ref: Authorised Plate A

x-height 37.5 mm

Reflectorisation Class RA2 (BS EN 12899-1; 2007)

Tile edges do not form part of the sign.



Sign Ref: Authorised Plate B

x-height 37.5 mm

Reflectorisation Class RA2 (BS EN 12899-1; 2007)

Tile edges do not form part of the sign.







Sign Ref: Authorised Plate C

x-height 37.5 mm

Reflectorisation Class RA2 (BS EN 12899-1; 2007)

Tile edges do not form part of the sign.

Parking zone symbol detail

		21 s/w	
21 s/w			Castle symbol- White symbol, 1179 traffic brown background, NO BORDER
21 s/w			Royal symbol- White symbol, 1175 traffic blue background, NO BORDER
21 s/w			Victoria symbol- White symbol, 1172 traffic red background, NO BORDER
21 s/w			Lace Market symbol- White symbol, 1174 traffic orange background, NO BORDER
21 s/w			Broadmarsh symbol- White symbol, 1177 traffic interstate green background, NO BORDER

NOTE:- WHERE SYMBOLS ARE TO BE REFLECTORISED, REFLECTIVITY TO
BS EN 12899 CLASS REF 2 (HIGHER GRADE)

 Nottingham City Council City Development Traffic Management Loxley House Station Street Nottingham NG2 3NG Telephone: 0115 8765244 F  2006-2007 Road Safety  INVESTOR IN PEOPLE	Scale	Scheme PARKSMART	
	Drawn PY	Title ZONE SYMBOL DETAILS	
Date 03/07		Drawing Number TM/08/9815/889	Revision