



GT50/25/0001

**ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65  
AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS**

The Secretary of State for Transport, in exercise of his powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984 and of all other powers enabling him in that behalf, for the purpose of informing road users of three sites where pedestrians and cyclists may cross, as part of the A1237 – A19 junction improvements, hereby:-

1. authorises the erection at or within 5 metres of the sites marked with a blue cross in the attached set of plans numbered GT50/25/0001-1 of a traffic sign consisting of a plate (hereinafter referred to as "the authorised plate") conforming as to size, colour and character with those shown in the attached set of drawings numbered GT50/25/0001-2; and
2. directs that the authorised plate shall only be used with the sign shown in diagram 562 in Schedule 1 to the Traffic Signs Regulations 2002 (Part I of SI 2002/3113, "the 2002 Regulations"); and
3. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the erection of the authorised plate at or near the said sites shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised plate and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.



GT50/25/0001


The provisions of Regulations 12 and 20 of the 2002 Regulations shall apply to the authorised plate in the same manner as they apply to the plate shown in diagram 563 when used in conjunction with the sign shown in diagram 562 in Schedule 1 to those Regulations.

Dated...11 March.....2011

Signed by authority of the Secretary of State



A Grade 7 Official of the Department for Transport





A1237 East



A19 North

A19 South

A1237 West


Park & Ride

### Significant Residual Risks

The following list provides a cross reference between this drawing and the Designers Health & Safety Risk Assessment and identifies those areas of Significant Residual Risk

Description of Risk	Ref.
Buried services in vicinity of construction	04
Excavation to area surrounding subway	21

### Key Plan:



### Key:

TS\*\*\* NEW TRAFFIC SIGN  
ES\*\*\* EXISTING TRAFFIC SIGN TO REMAIN IN EXISTING SIGN LOCATION OR HAS BEEN SET-ASIDE FOR RE-USE AND ERECTED AT NEW LOCATION ON PASSIVELY SAFE POSTS

LC\*\* LIGHTING COLUMN  
B\* ILLUMINATED BOLLARD

Proposed kerb line  
Proposed NMU facilities

Red Anti-Skid Surfacing to Dropped Crossings

Rumble Strips to Roundabout Approaches

### Notes:

- This drawing is to be read in conjunction with the associated carriageway markings schedule.
- This drawing is to be read in conjunction with appendices...
- Tie in points to be agreed with the designers site representative.

This drawing should be read in conjunction with the following Traffic Signs & Road Markings drawings: TACYCB810/1202, 1203 & 1204  
Refer to the following drawings/documents for all other works information:

- TACYCB810/101 - General Arrangement
- TACYCB810/161 - Statutory Undertakers Equipment
- TACYCB810/201 - Site Clearance
- TACYCB810/401 - Safety Fencing
- TACYCB810/501 - Drainage
- TACYCB810/601 - Earthworks
- TACYCB810/701 - Pavement
- TACYCB810/1101 - Footways
- TACYCB810/1301 - Streetlighting
- TACYCB810/3001 - Landscaping

All Diagram numbers shown refer to those in the Traffic Signs Regulations & General Directions 2002

C	MR	LC	DS	11/07/10	Cycleway markings added and lining to existing edge of carriageway lining
B	RL	LC	DS	02/09/10	Amended following stage 2 RSA
A	JE	LC	DS	22/07/10	Final issue
Rev	By	Chkd	Apprvd	Date	Description

Client



Halcrow Group Limited  
22 Lonsdale, York, North Yorkshire, YO1 8AA  
+44 (0)1904 559500  
www.halcrow.com

**Halcrow**

Project

A1237/A19 Junction Improvements

Drawing

Traffic Signs & Road Markings  
Sheet 1 of 4

Drawn by: J. Eamshaw Date: 12/07/10  
Checked by: L. Cable Date: 12/07/10  
Approved by: D. Salmon Date: 12/07/10



Drawing No. TACYCB810/1201 Revision C

Drawing Scale: 1:250 at A1


FOR TENDER

Page 1 of 4





- Key:**
- TS\*\*\* NEW TRAFFIC SIGN
  - ES\*\*\* EXISTING TRAFFIC SIGN TO REMAIN IN EXISTING SIGN LOCATION OR HAS BEEN SET-ASIDE FOR RE-USE AND ERECTED AT NEW LOCATION ON PASSIVELY SAFE POSTS
  - LC\*\* LIGHTING COLUMN
  - B\* ILLUMINATED BOLLARD
  - Proposed kerb line
  - Proposed NMU facilities
  - Red Anti-Skid Surfacing to Dropped Crossings
  - Rumble Strips to Roundabout Approaches
- Refer to the following drawings/documents for all other works information;
- a. TACYCB810/101 - General Arrangement
  - b. TACYCB810/151 - Statutory Undertakers Equipment
  - c. TACYCB810/201 - Site Clearance
  - d. TACYCB810/401 - Safety Fencing
  - e. TACYCB810/501 - Drainage
  - f. TACYCB810/601 - Earthworks
  - g. TACYCB810/701 - Pavement
  - h. TACYCB810/1101 - Footways
  - i. TACYCB810/1301 - Streetlighting
  - j. TACYCB810/3001 - Landscaping
- This drawing should be read in conjunction with the following Traffic Signs & Road Markings drawings; TACYCB810/1201, 1203 & 1204
- All Diagram numbers shown refer to those in the 'Traffic Signs Regulations & General Directions 2002'



**Significant Residual Risks**

The following list provides a cross reference between this drawing and the Designers Health & Safety Risk Assessment and identifies those areas of Significant Residual Risk

Description of Risk	Ref.
Buried services in vicinity of construction	04
Excavation to area surrounding subway	21

Rev	By	Chkd	Appvd	Date	Description
C	ML	LC	DS	11/10/10	Carriageway markings added and lighting to existing edge of carriageway being
B	JE	LC	DS	02/09/10	Approved following stage 2 RSA
A	JE	LC	DS	28/01/10	First Issue

Client

**CITY OF YORK COUNCIL**

Halcrow Group Limited  
22 Lendal, York, North Yorkshire, YO1 8AA  
+44 (0)1904 559900  
www.halcrow.com

**Halcrow**

Project

A1237/A19 Junction Improvements

Drawing

Traffic Signs & Road Markings  
Sheet 2 of 4

Drawn by: J. Earnshaw Date: -  
Checked by: L. Cable Date: -  
Approved by: - Date: -

Drawing No.




TACYCB810/1202

Revision

C

Drawing Scale: 1:250 at A1





- Key:**
- TS\*\* NEW TRAFFIC SIGN
  - ES\*\* EXISTING TRAFFIC SIGN TO REMAIN IN EXISTING LOCATION OR HAS BEEN SET-ASIDE FOR RE-USE AND ERECTED AT NEW LOCATION ON PASSIVELY SAFE POSTS
  - LC\*\* LIGHTING COLUMN
  - B\* ILLUMINATED BOLLARD
  - Proposed kerb line
  - Proposed NMU facilities
  - Red Anti-Skid Surfacing to Dropped Crossings
  - Rumble Strips to Roundabout Approaches
- Refer to the following drawings/documents for all other works information:
- a. TACYCB810/101 - General Arrangement
  - b. TACYCB810/161 - Statutory Undertakers Equipment
  - c. TACYCB810/201 - Site Clearance
  - d. TACYCB810/401 - Safety Fencing
  - e. TACYCB810/501 - Drainage
  - f. TACYCB810/601 - Earthworks
  - g. TACYCB810/701 - Pavement
  - h. TACYCB810/1101 - Footways
  - i. TACYCB810/1301 - Streetlighting
  - j. TACYCB810/3001 - Landscaping

This drawing should be read in conjunction with the following Traffic Signs & Road Markings drawings: TACYCB810/1201, 1202 & 1204

All Diagram numbers shown refer to those in the 'Traffic Signs Regulations & General Directions 2002'

Significant Residual Risks		
The following list provides a cross reference between this drawing and the Designers Health & Safety Risk Assessment and identifies those areas of Significant Residual Risk		
Description of Risk	Ref.	
Buried services in vicinity of construction	04	
Excavation to area surrounding subway	21	

Rev	By	Chkd	Appvd	Date	Description

Client

Halcrow Group Limited  
22 Lendal, York, North Yorkshire, YO1 8AA  
+44 (0)1904 559900  
www.halcrow.com

**Halcrow**

Project  
A1237/A19 Junction Improvements




Drawing  
Traffic Signs & Road Markings  
Sheet 3 of 4

Drawn by: J. Earnshaw Date: -  
Checked by: L. Cable Date: -  
Approved by: - Date: -

Drawing No. TACYCB810/1203 Revision C

Drawing Scale: 1:250 at A1





- Key:**
- TS\*\* NEW TRAFFIC SIGN
  - ES\*\* EXISTING TRAFFIC SIGN TO REMAIN IN EXISTING SIGN LOCATION OR HAS BEEN SET-ASIDE FOR RE-USE AND ERECTED AT NEW LOCATION ON PASSIVELY SAFE POSTS
  - LC\*\* LIGHTING COLUMN
  - B\* ILLUMINATED BOLLARD
  - Proposed kerb line
  - Proposed NMU facilities
  - Red Anti-Skid Surfacing to Dropped Crossings
  - Rumble Strips to Roundabout Approaches

Refer to the following drawings/documents for all other works information;

- a. TACYCB810/101 - General Arrangement
- b. TACYCB810/161 - Statutory Undertakers Equipment
- c. TACYCB810/201 - Site Clearance
- d. TACYCB810/401 - Safety Fencing
- e. TACYCB810/501 - Drainage
- f. TACYCB810/601 - Earthworks
- g. TACYCB810/701 - Pavement
- h. TACYCB810/1101 - Footways
- i. TACYCB810/1301 - Streetlighting
- j. TACYCB810/3001 - Landscaping

This drawing should be read in conjunction with the following Traffic Signs & Road Markings drawings; TACYCB810/1201, 1202 & 1203

All Diagram numbers shown refer to those in the 'Traffic Signs Regulations & General Directions 2002'

Significant Residual Risks		
The following list provides a cross reference between this drawing and the Designers Health & Safety Risk Assessment and identifies those areas of Significant Residual Risk		
Description of Risk	Ref.	
Buried services in vicinity of construction	04	
Excavation to area surrounding subway	21	

Rev	By	Chkd	Apprd	Date	Description
E	CS	LC	IS	9/13/2011	Bolton Footprints review

Client

**CITY OF YORK COUNCIL**

Halcrow Group Limited  
22 Lendal, York, North Yorkshire, YO1 8AA  
+44 (0)1904 559900  
www.halcrow.com

**Halcrow**

Project

A1237/A19 Junction Improvements

Drawing

Traffic Signs & Road Markings  
Sheet 4 of 4

Drawn by: J. Earnshaw	Date: -
Checked by: L. Cable	Date: -
Approved by: -	Date: -
Drawing No.	Revision
TACYCB810/1204	E

Drawing Scale: 1:250 at A1




Sign Reference	TS009a
Height	900mm
Width	1020mm
Area *	0.45sq.m
Material	Class RA2 (12899-1:2007)
Mount Height	2300
* Area reduced for rounded corners.	


Scheme Ref. A1237 / A19 Junction Improvements	
Sign Ref. TS009b	x-height 100.0
Letter colour BLACK	SIGN FACE
Background WHITE	Width 1335mm
Border BLACK	Height 775mm
Material Class RA2 (12899-1:2007)	Area 1.03sq.m

Scheme Ref. A1237 / A19 Junction Improvements	
Sign Ref. TS009	x-height 100.0
Letter colour N/A	SIGN FACE
Background GREY	Width 1470mm
Border N/A	Height 1830mm
Material Class RA2 (12899-1:2007)	Area 2.69sq.m

A

BS EN 12767:2007 PASSIVE POST PERFORMANCE CLASS REQUIREMENT: 100:NE:1-3



A	MF	LC	DS	27/08/10	TS009 & TS010 COMBINED AND MOUNTING HEIGHT AMENDED
0	MF	-	-	-	FIRST ISSUE
REVISION	BY	CHECKED	APPROVED	DATE	DESCRIPTION
OTHER DETAILS			OTHER COMMENTS		
LOCATION: A1237 EASTBOUND APPROACH TO ROUNDABOUT - CHAINAGE 0m (W)			SIGN TO BE MOUNTED ON PASSIVE POST. THE POST/BRACKETS SHALL BE DESIGNED SUCH THAT IT PREVENTS POSSIBLE ROTATION OF THE SIGN PLATE. MOUNTING TO BE 2300mm. SIGN IS TO BE A NON-LIT UNIT.		
DISTANCE FROM CARRIAGEWAY EDGE: 1000mm					
Halcrow Group Ltd 22 Lendal York North Yorkshire YO1 8AA Tel +44 (01904) 559900 Fax +44 (01904) 559901 www.halcrow.com 		Project A1237 / A19 JUNCTION IMPROVEMENTS		Drawing No. Revision A	
				SIGN SCHEDULE	
				Drawing by MF Date: 26/05/10	Drawing Scale: 1:25 Plot Scale:
				Checked by LC Date: 27/08/10	CAD Filename:
				Authorised by DS Date: 27/08/10	






Sign Reference	TS014a
Height	900mm
Width	1020mm
Area *	0.45sq.m
Material	Class RA2 (12899-1:2007)
Mount Height	2300
* Area reduced for rounded corners.	

Scheme Ref. A1237 / A19 Junction Improvements			
Sign Ref.	TS014b	x-height	100.0
Letter colour	BLACK	SIGN FACE	
Background	WHITE	Width	1335mm
Border	BLACK	Height	775mm
Material	Class RA2 (12899-1:2007)	Area	1.03sq.m

Scheme Ref. A1237 / A19 Junction Improvements			
Sign Ref.	TS014	x-height	100.0
Letter colour	N/A	SIGN FACE	
Background	GREY	Width	1470mm
Border	N/A	Height	1830mm
Material	Class RA2 (12899-1:2007)	Area	2.69sq.m



BS EN 12767:2007 PASSIVE POST PERFORMANCE CLASS REQUIREMENT: 100:NE:1-3

A	MF	LS	DS	27/08/10	TS014 & TS015 COMBINED, GREY BACKING BOARD ADDED AND COMMENTS BOX AMENDED								
0	MF	-	-	-	FIRST ISSUE								
REVISION	BY	CHECKED	APPROVED	DATE	DESCRIPTION								
OTHER DETAILS					OTHER COMMENTS								
LOCATION: A1237 WESTBOUND APPROACH TO ROUNDABOUT – CHAINAGE 126.8m (E)					SIGN TO BE MOUNTED ON PASSIVE POST. THE POST/BRACKETS SHALL BE DESIGNED SUCH THAT IT PREVENTS POSSIBLE ROTATION OF THE SIGN PLATE. SIGN TO BE MOUNTED ABOVE ES038 ON THE SAME POST. SIGN IS TO BE A NON-LIT UNIT.								
DISTANCE FROM CARRIAGEWAY EDGE: 1200mm													
<div>Halcrow Group Ltd 22 Lendal York North Yorkshire YO1 8AA Tel +44 (01904) 559900 Fax +44 (01904) 559901 www.halcrow.com</div> <div></div>					Project		Drawing		Drawing No.		Revision		
					A1237 / A19 JUNCTION IMPROVEMENTS		SIGN SCHEDULE		Drawing Scale: 1:25		Plot Scale:		A
		Drawn by	MF	Date:	26/05/10	CAD Filename:							
		Checked by	LC	Date:	27/08/10								
		Authorised by	DS	Date:	27/08/10								






Sign Reference	TS019a
Height	900mm
Width	1020mm
Area *	0.45sq.m
Material	Class RA2 (12899-1:2007)
Mount Height	2300
* Area reduced for rounded corners.	

Scheme Ref. A1237 / A19 Junction Improvements			
Sign Ref.	TS019b	x-height	100.0
Letter colour	BLACK	SIGN FACE	
Background	WHITE	Width	1335mm
Border	BLACK	Height	775mm
Material	Class RA2 (12899-1:2007)	Area	1.03sq.m

Scheme Ref. A1237 / A19 Junction Improvements			
Sign Ref.	TS019	x-height	100.0
Letter colour	N/A	SIGN FACE	
Background	GREY	Width	1470mm
Border	N/A	Height	1830mm
Material	Class RA2 (12899-1:2007)	Area	2.69sq.m

C

BS EN 12767:2007 PASSIVE POST PERFORMANCE CLASS REQUIREMENT: 100:HE:1-3

A	MF	LC	DS	27/08/10	TS019 & TS020 COMBINED AND MOUNTING HEIGHT AMENDED
0	MF	-	-	-	FIRST ISSUE
REVISION	BY	CHECKED	APPROVED	DATE	DESCRIPTION
OTHER DETAILS			OTHER COMMENTS		
LOCATION: A19 SOUTHBOUND APPROACH TO ROUNDABOUT - CHAINAGE -71m (N)			SIGN TO BE MOUNTED ON PASSIVE POST. THE POST/BRACKETS SHALL BE DESIGNED SUCH THAT IT PREVENTS POSSIBLE ROTATION OF THE SIGN PLATE. MOUNTING TO BE 2300mm. SIGN IS TO BE A NON-LIT UNIT.		
DISTANCE FROM CARRIAGEWAY EDGE: 1200mm					
Halcrow Group Ltd 22 Lendal York North Yorkshire YO1 8AA Tel +44 (01904) 559900 Fax +44 (01904) 559901 www.halcrow.com  		Project  A1237 / A19 JUNCTION IMPROVEMENTS		Drawing  SIGN SCHEDULE	
				Drawing No.  Drawing Scale: 1:25 Plot Scale:	Revision A
				Drawn by MF Date: 26/05/10 Checked by LC Date: 27/08/10 Authorised by DS Date: 27/08/10	CAD Filename: