



GT50/119/0005

**ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65  
AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS**

The Secretary of State for Transport, in exercise of her powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984, and of all other powers enabling her in that behalf, for the purpose of directing road users in Oldham, hereby:-

1. authorises the erection at or within 5 metres of the sites marked with a red cross on the attached plan numbered GT50/119/0005-1 of a traffic sign, hereinafter referred to as "the authorised sign A" conforming as to size, colour and character with that shown at "A" on the attached drawing numbered GT50/119/0005-2; and
2. authorises the erection at or within 5 metres of the sites marked with a blue cross on the said plan of a traffic sign, hereinafter referred to as "the authorised sign B" conforming as to size, colour and character with that shown at "B" on the said drawing and
2. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the erection of the authorised sign A and B at or near the said sites shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised signs A and B and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.



GT50/119/0005


The provisions of Regulations 12, 18 and 19 of the Traffic Signs Regulations 2002 (Part I of SI 2002/3113; "the 2002 Regulations") shall apply to the authorised sign in the same manner as they apply to the sign to diagram 2108 in Schedule 7 to those Regulations.



Dated 14 November 2011

Signed by authority of the Secretary of State



A Delegated Official of the Department for Transport






| Scheme Ref.   |                          |                |
|---------------|--------------------------|----------------|
| Sign          | Ref. ZOTC-13             | x-height 100.0 |
| Letter colour | BLACK                    | SIGN FACE      |
| Background    | WHITE                    | Width 1850mm   |
| Border        | BLACK                    | Height 2170mm  |
| Material      | Class RA2 (12899-1:2007) | Area 4.02sq.m  |


Department for Transport

Date 8 November 2011

No. 6T50/119/0005-2










| Scheme Ref.   |                          |                |
|---------------|--------------------------|----------------|
| Sign          | Ref. ZOTC-14             | x-height 100.0 |
| Letter colour | BLACK                    | SIGN FACE      |
| Background    | WHITE                    | Width 1675mm   |
| Border        | BLACK                    | Height 2170mm  |
| Material      | Class RA2 (12899-1:2007) | Area 3.64sq.m  |

|  |  |    |  |     |          |                  |      |       |       |     |          |                  |    |     |    |   |  |  |  |                        |
|--|--|----|--|-----|----------|------------------|------|-------|-------|-----|----------|------------------|----|-----|----|---|--|--|--|------------------------|
| <table border="1"> <tr> <td>Rev</td> <td>Date</td> <td>Detail</td> <td>Made</td> <td>Chk'd</td> <td>App'd</td> </tr> <tr> <td>D01</td> <td>04/08/11</td> <td>FOR DfT APPROVAL</td> <td>IS</td> <td>MSW</td> <td>PH</td> </tr> </table> |  |    |  | Rev | Date     | Detail           | Made | Chk'd | App'd | D01 | 04/08/11 | FOR DfT APPROVAL | IS | MSW | PH | <p>Client:</p>  <p>MPT</p> <p>Leasing O'Rourke<br/>VolkerRail &amp; Thales</p> | <p>Design: IS</p> <p>CAD: IS</p> <p>Chk'd: MSW</p> <p>App'd: PH</p> <p>Scale: NOT TO SCALE</p> <p>Date: 04 AUGUST 2011</p> | <p>MANCHESTER METROLINK PHASE 3B<br/>OLDHAM TOWN CENTRE</p> <p>Title:</p> <p>NON PRESCRIBED TRAFFIC SIGNS<br/>REQUIRING DfT APPROVAL</p> | <p>Drq No'</p> <p>MPT3A-AL0-00-TDD-653</p> | <p>Rev:</p> <p>D01</p> |
|  |  |    |  | Rev | Date     | Detail           | Made | Chk'd | App'd |     |          |                  |    |     |    |   |  |  |  |                        |
|  |  |    |  | D01 | 04/08/11 | FOR DfT APPROVAL | IS   | MSW   | PH    |     |          |                  |    |     |    |   |  |  |  |                        |
|  |  |    |  | cm  |          | A3               |      |       |       |     |          |                  |    |     |    |   |  |  |  |                        |
| cm   |  | A3 |  |     |          |                  |      |       |       |     |          |                  |    |     |    |   |  |  |  |                        |
| cm   |  | A3 |  |     |          |                  |      |       |       |     |          |                  |    |     |    |   |  |  |  |                        |



- |  |  |
|--|--|
| <p>1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH THE RELEVANT SIGN SCHEDULES, SIGN FACE AND FOUNDATION DETAILS DRAWINGS AND APPENDIX 12/1.</p> <p>2. ALL SIGN POSTS SHALL BE FITTED WITH POST CAPS.</p> <p>3. ANY VEGETATION OBSCURING THE SIGN SHALL BE REMOVED TO ALLOW FULL FORWARD VISIBILITY OF SIGN FACE.</p> <p>4. SIGN TO BE ERECTED FLUSH WITH TOP OF POSTS. IF THERE IS EXCESS POST OVER THE SIGN, THE POST IS TO BE CUT BACK AND ANY CUT SURFACE TREATED WITH GALVAFROID OR SIMILAR PAINT SYSTEM PRIOR TO THE INSTALLATION OF A POST CAP.</p> | <p>5. SIGN PLATES MOUNTED ON OHLE AND LIGHTING COLUMNS SHALL USE FIXINGS THAT:-</p> <ul style="list-style-type: none"> <li>• PREVENT THE SIGN PLATE BEING ROTATED</li> <li>• DO NOT DAMAGE THE INTEGRITY OF THE PAINT SYSTEM APPLIED TO THE POLE.</li> </ul> <p>6. ALL SIGNS TO CONFORM TO THE "TRAFFIC SIGN REGULATIONS &amp; GENERAL DIRECTIONS 2002" AND THE RELEVANT AND CURRENT CHAPTERS OF THE TRAFFIC SIGNS MANUAL.</p> <p>7. ALL SETTING OUT TO BE REVIEWED ON SITE BY THE ENGINEER PRIOR TO INSTALLATION.</p> |
|--|--|

-  SIGN POST WITH SIGN(S)
-  POST WITH SIGN ON OFFSET BRACKET
-  OHLE POST WITH INTEGRATED LIGHTING UNIT
-  OHLE CABLE
-  PROPOSED LIGHTING COLUMN (TYPE VARIES)
-  EXISTING LIGHTING COLUMN TO REMAIN
-  EXISTING WALL MOUNTED LIGHTING

- |         |                                |
|---------|--------------------------------|
| WS-XX   | WARNING SIGN                   |
| REG-XX  | REGULATORY SIGN                |
| PC-XX   | PEDESTRIAN/CYCLE SIGN          |
| PS-XX   | PARKING SIGN (WAITING/LOADING) |
| TS-XX   | TRAM SIGN                      |
| TDS-XX  | TRAM DRIVER SIGN               |
| MISC-XX | MISCELLANEOUS SIGN             |

- ZXXX-XX BESPOKE SIGN FOR SPECIFIC LINE

