

ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65 AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS

The Secretary of State for Transport, in exercise of her powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984 and of all other powers enabling her in that behalf, for the purpose of implementing the Olympic Transport Plan or to facilitate transport services or safe pedestrian facilities in connection with the London Olympics, hereby:-

- authorises the placement on roads for which the authorities on the attached list numbered GT50/162/0005-1 are the traffic authority, and at locations that a chief officer of police has given authority for signs to be placed conforming as to size colour and character with those shown referenced "ALL-SK05" and "ALL-SK06" (hereinafter referred to as "the authorised stop signs") in the attached set of drawings numbered GT50/162/0005-2,
- authorises the placement on roads for which the authorities on the said list are the traffic authority at appropriate sites of traffic conforming as to size colour and character to signs with those shown referenced "ALL-SK01", "ALL-SK02", "ALL-SK03", "ALL-SK07", "ALL-SK07", "ALL-SK08", "ALL-SK10", "ALL-SK11" and "ALL-SK12" (hereinafter referred to as "the authorised event or check signs") in the said the set of drawings; and
- 3. directs that the authorised stop signs shall:
 - (a) only be put in place by suitably trained persons, and
 - (b) be used in such a manner that the said signs shall face the direction of the appropriate traffic flow when in use; and





- (c) have a post or other support specifically supplied for the purpose which is of a single colour; and
- (d) be signs to which Section 36 of the Road Traffic Act 1988 applies;and

4. directs that:

- (a) the authorised stop signs, subject to sub-paragraph (d) shall be illuminated by means of retroreflecting material and must be internally lit throughout the hours of darkness; and
- (b) the parts of the authorised stop signs coloured yellow shall be fluorescent; and
- (c) the parts of the authorised stop signs coloured red may be fluorescent; and
- (d) the parts of the authorised stop signs coloured black shall not be illuminated by means of retroreflecting material; and
- (e) in paragraph 4 the word "part" in relation to the sign means any part of an authorised stop sign which is uniformly coloured and bounded by parts of a different colour; and
- directs that the authorised stop signs and those authorised event or check signs referenced "ALL-SK07", "ALL-SK10" and "ALL-SK011" may only be placed to indicate the effect of a corresponding Traffic Order, Traffic Management Order or Traffic Regulation Order; and



6. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the placing of the authorised stop signs and the authorised event or check signs, at or near the said sites shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised stop signs and the authorised event or check signs, and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to those authorised event or check signs referenced "ALL-SK01", "ALL-SK02", "ALL-SK03" and "ALL-SK08" in the same manner as they apply to the sign to diagram 818 in Schedule 4 to those Regulations.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to those authorised event or check signs referenced "ALL-SK07" and "ALL-SK10" in the same manner as they apply to the sign to diagram 639 in Schedule 2 to those Regulations.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised event or check sign referenced "ALL-SK11" in the same manner as they apply to the sign to diagram 663 in Schedule 2 to those Regulations.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised event or check sign referenced "ALL-SK12" in the same manner as they apply to the sign to diagram 554.1 Schedule 1 to those Regulations.



GT50/162/0005

The provisions of Regulation 12 of the 2002 Regulations shall apply to the authorised stop signs in the same manner as they apply to the sign to diagram 633 in Schedule 2 to those Regulations.

Dated 18 January 2012

Signed by authority of the Secretary of State

A Delegated Official of the Department for Transport

CERTIFIED TRUE COPY

25/1/2012

DEPARTMENT FOR TRANSPORT

List of Local Authorities requiring Olympic Traffic signs including stop sign.

Reference GT50/162/0005-1

Inside London:

London Borough of Barking and Dagenham

London Borough of Barnet

London Borough of Bexley

London Borough of Brent

London Borough of Bromley

London Borough of Camden

London Borough of Croydon

London Borough of Ealing

London Borough of Enfield

London Borough of Greenwich

London Borough of Hackney

London Borough of Hammersmith and Fulham

London Borough of Haringey

London Borough of Harrow

London Borough of Havering

London Borough of Hillingdon

London Borough of Hounslow

London Borough of Islington

Royal Borough of Kensington and Chelsea

London Borough of Kingston upon Thames

London Borough of Lambeth

London Borough of Lewisham

London Borough of Merton

London Borough of Newham

London Borough of Redbridge

London Borough of Richmond upon Thames

London Borough of Southwark

London Borough of Sutton

London Borough of Tower Hamlets

London Borough of Waltham Forest

London Borough of Wandsworth

City of London

City of Westminster

Outside London:

Borough of Broxbourne

Borough of Slough

Borough of Trafford

Borough of Weymouth and Portland

Borough of Southend on Sea

Royal Borough of Windsor and Maidenhead

County of Buckinghamshire

County of Essex

County of Hertfordshire

District of Epping Forest


City of Coventry

City of Newcastle

Department for Transport

Date 13/1/2012

No. 6-750/162/0005-1



| Scheme Ref. SK01 | |
|---------------------|----------------|
| Sign Ref | x-height 100.0 |
| Letter colour WHITE | SIGN FACE |
| Background BLUE | Width 1050mm |
| Border WHITE | Height 750mm |
| Material | Area 0.79sq.m |

| | | _000 | . , | ca | | |
|-------|-------------|------|------|--------|----------------|-------|
| Title | | Loca | I Ar | 92 | | |
| Rev | Descripti | ion | | Drawn | Chk'd App | Date |
| Revi | Description | 1 | 1.50 | Drawn | Chk'd1 App1 | Date1 |
| Reva | Description | 2 | | Drawn | Chk'd2 App2 | Date2 |
| VeAT | Description | 3 | | Drawn: | Chk'd3 App3 | Date3 |


ALL-SK01

© Crown Copyright and database right 2011. All rights reserved. Ordnance Survey Licence number 100046062.

| Scheme Ref. SK02 | |
|---------------------|---------------|
| Sign Ref | x-height 90.0 |
| Letter colour WHITE | SIGN FACE |
| Background BLUE | Width 1050mm |
| Border WHITE | Height 750mm |
| Material | Area 0.79sq.m |

ALL-SK02

© Crown Copyright and database right 2011. All rights reserved. Ordnance Survey Licence number 100046062.



| Scheme Ref. SK03 | |
|---------------------|---------------|
| Sign Ref | x-height 90.0 |
| Letter colour WHITE | SIGN FACE |
| Background BLUE | Width 1050mm |
| Border WHITE | Height 750mm |
| Material | Area 0.79sq.m |

escription3

ALL-SK03



| Scheme Ref. SK04 | |
|---------------------|---------------|
| Sign Ref. 7031v | x-height - |
| Letter colour BLACK | SIGN FACE |
| Background WHITE | Width 450mm |
| Border RED | Height 450mm |
| Material | Area 0.20sq.m |

Description Local Area Traffic Managament and Parking Security Class Access Constraints: In Confidence Commercial Scale N.T.S Drawn Date 25-03-2011

ALL-SK05

Description3

© Crown Copyright and database right 2011. All rights reserved. Ordnance Survey Licence number 100046062.



| Scheme Ref. SK05 | |
|---------------------|----------------|
| Sign Ref. 7031v | x-height 111.1 |
| Letter colour BLACK | SIGN FACE |
| Background YELLOW | Width 450mm |
| Border RED | Height 450mm |
| Material | Area 0.20sq.m |

Chk'd3 PApp3 Date3 Chk'd2 App2 Date2 Chk'd1 App1 Date1 Description Local Area Traffic Managament and Parking

Security Class Access Constraints: In Confidence Commercial

Description3

Date 25-03-2011 Scale N.T.S Drawn Drawn

ALL-SK06

© Crown Copyright and database right 2011. All rights reserved. Ordnance Survey Licence number 100046062.



| Scheme Ref. SK06 | | |
|-----------------------------------|---------|----------|
| Sign Ref | x-heigh | t 20.0 |
| Letter colour BLACK | SIGN FA | CE |
| Background YELLOW | Width | 180mm |
| Border BLACK | Height | 205mm |
| Material Class RA2 (12899-1:2007) | Area | 0.04sq.m |

Description3

Chk'd3 Date3
Chk'd2 Date2
Chk'd1 Date1
Chk'd1 Chk'd1

ALL-SK07



| Scheme Ref. SK07 | | |
|-----------------------------------|---------|----------|
| Sign Ref | x-heigh | t 100/90 |
| Letter colour WHITE | SIGN FA | CE |
| Background BLUE | Width | 1050mm |
| Border WHITE | Height | 750mm |
| Material Class RA2 (12899-1:2007) | Area | 0.79sq.m |

| Drav | | Scale | | Date | |
|-------|--------------|-------|-------------------------|-------------------|-------|
| | Illilleiciai | | | | |
| Co | mmercial | | In Confi | idence | |
| Acc | ess Constra | ints: | Security | Class | |
| Title | Traff | ic Ma | Area nagar arking | | |
| Rev | Descriptio | n | Draw | n Chk'd App | Date |
| Rev1 | Description1 | | Draw | Chrida | Date1 |
| Reva | Description2 | | Draw | /n Chk'd2 App2 | Date2 |
| Reva | Description3 | | Draw | Chk'd3 App3 | Date3 |

© Crown Copyright and database right 2011. All rights reserved. Ordnance Survey Licence number 100046062.



| Scheme Ref. SK10 | |
|---------------------|----------------|
| Sign Ref | x-height 20/15 |
| Letter colour BLACK | SIGN FACE |
| Background YELLOW | Width 265mm |
| Border BLACK | Height 205mm |
| Material | Area 0.05sq.m |


 Drawn
 Chk'd3 App3 App3
 Date3

 Drawn
 Chk'd2 App2 App2
 Date2

 Drawn
 Chk'd1 App1 App1
 Date1

 Drawn
 Chk'd App1 Chk'd App1
 Date1
 Description Local Area Traffic Managament and Parking Access Constraints: Security Class Commercial In Confidence Scale N.T.S Date Drawn Drawn 25-03-2011 ALL-SK10


Description3



| Scheme Ref. SK11 | |
|---------------------|---------------------|
| Sign Ref | x-height 60/75/37.5 |
| Letter colour BLACK | SIGN FACE |
| Background WHITE | Width 525mm |
| Border BLACK | Height 1165mm |
| Material | Area 0.61sq.m |

| Dra | wn Drawn | Scale N. | T.S | | ate 5-03-2 | 2011 |
|-------|--------------|-------------|----------|-----|----------------|-------|
| | ommercia | _ | In Con | _ | | |
| | | | | | | |
| Ac | cess Constr | aints: | Security | Cl | ass | |
| | | and F | arking | 9 | | |
| | Traf | fic Ma | naga | m | ent | |
| | | | I Area | | | |
| Title | 3 | | | | | |
| Rev | Descripti | on | Dra | wn | Chk'd App | Date |
| Rev | Description | 1 | Dra | | Chk'd1 App1 | Date1 |
| Rev | 2Description | 2 | Dra | wn: | Chk'd2 App2 | Date2 |
| Rev | Description | 3 | Dra | wn | Chk'd3 App3 | Date3 |

Venues



| Mount Height 2300 | Material | Area * | Width | Height | Sign Reference 544.1 |
|-------------------|----------|-----------|-------|--------|----------------------|
| 2300 | | 0.24 sq.m | 745mm | 600mm | 544.1 |

Area reduced for rounded corners

crossing Event

| Scheme Ref. SK12 | | |
|---|-----------|----------|
| Sign Ref. 547.8v | x-height | t 62.5 |
| Letter colour BLACK | SIGN FACE | CE |
| Background WHITE | Width | 625mm |
| Border BLACK | Height | 360mm |
| Material Class RA2 (12899—1: 2007) Area | Area | 0.22sq.m |

| speed A | C |
|---------------------|---------------|
| Scheme Ref. SK12 | |
| Sign Ref. 513-2 | x-height 50.0 |
| Letter colour BLACK | SIGN FACE |
| Background WHITE | Width 805mm |
| Border BLACK | Height 300mm |
| Material | Area 0.24sq.m |

| _ | _ | - | _ | - | _ | | | | _ | _ |
|-------------|--------------------|------------|-------------|-------------|-----------------|----------------|-----------------|--------|-----------------|----------------|
| | | Title | 1704 | Day | 700 | 0 | 700 | 0 | Zev | 0 |
| and Parking | Traffic Managament | Local Area | Description | Description | Cex Description | - Constitution | Keywescriptionz | | Reverscriptions | and the second |
| ing | gam | ea | Digare | Drawn | Diawii | | DIAMI | | DIAMII | 1 |
| | ent | | App | Chk'd | App1 | Chk'd1 | f App2 | Chk'd2 | App3 | Chk'd3 |
| | | | Dano | Date | Daio | 7 | Datez | | Dates | 7 |

| | P | |
|---|----------|--|
| I | | |
| I | _ | |
| | 'n | |
| | 3 | |
| | $\vec{}$ | |
| 1 | 2 | |

Commercial

Scale N.T.S

In Confidence

Date
25-03-2011

Security Class

ympic Delivery Authority ("ODA") 2011. All rights reserved. Except as permitted by the Copyright, Designs and photocopy, recording or otherwise, without the prior written permission of a director. Except where otherwise e of this or the information contained in it.