



**ROAD TRAFFIC REGULATION ACT 1984 - SECTIONS 64 AND 65
AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS**

The Secretary of State for Transport, in exercise of his powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984, and of all other powers enabling him in that behalf, for the purpose of informing road users of parking places wholly or partially on the footway, on roads for which the London Borough of Haringey is the traffic authority, hereby:-

1. authorises the erection at appropriate sites on the said roads of a traffic sign (hereinafter referred to as "the authorised sign A") conforming as to size, colour and character with that referenced "ZC318/A1" on the attached set of drawings numbered GT50/082/0017-1; and
2. authorises the erection at appropriate sites on the said roads of a traffic sign (hereinafter referred to as "the authorised sign B") conforming as to size, colour and character with that referenced "ZC318/B1" on the said set of drawings; and
3. authorises the erection at appropriate sites on the said roads of a traffic sign (hereinafter referred to as "the authorised sign C") conforming as to size, colour and character with that referenced "ZC318/C1" on the said set of drawings; and
4. authorises the erection at appropriate sites on the said roads of a traffic sign (hereinafter referred to as "the authorised sign D") conforming as to size, colour and character with that referenced "ZC318/D1" on the said set of drawings; and
5. authorises the erection at appropriate sites on the said roads of a traffic sign (hereinafter referred to as "the authorised sign E") conforming as to size, colour and character with that referenced "ZC318/E1" on the said set of drawings; and
6. authorises the erection at appropriate sites on the said roads of a traffic sign (hereinafter referred to as "the authorised sign F") conforming as to size, colour and character with that referenced "ZC318/F1" on the said set of drawings; and



7. authorises the erection at appropriate sites on the said roads of a traffic sign (hereinafter referred to as “the authorised sign G”) conforming as to size, colour and character with that referenced “ZC318/G1” on the said set of drawings; and
8. authorises the erection at appropriate sites on the said roads of a traffic sign (hereinafter referred to as “the authorised sign H”) conforming as to size, colour and character with that referenced “ZC318/H1” on the said set of drawings; and
9. authorises the placing at the said sites of a traffic sign consisting of a road marking (hereinafter referred to as “the authorised marking”) conforming as to size, colour and character with that to diagram 1028.3 in Schedule 6 to the Traffic Signs Regulations 2002 (Part I of S.I. 2002/3113, “the 2002 Regulations”), as amended by the Traffic Signs (Amendment) (No. 2) Regulations 2011 (S.I. 2011/3041, “the Amendment Regulations”), save that the marking may be placed wholly or partially on the footway; and
10. directs that it is a condition of this authorisation that the authorised signs A-H may only be used to indicate the effect of a corresponding Traffic Order; and
11. directs that the symbol showing a car with two wheels on the footway, as shown in authorised signs A-H, may be varied to a symbol showing a car with four wheels on the footway as shown in diagram 668.1 in Schedule 2 to the 2002 Regulations; and
12. directs that the arrow in authorised signs A, B, C, D, G and H may be omitted or varied to show it pointing horizontally to the left; and
13. directs that an arrow pointing horizontally to the left or right may be added to authorised sign E; and
14. directs that the code identifier patch in authorised signs A, B, C, E and G may be varied as appropriate; and



15. directs that references to the time of the day or day of the week in authorised signs A, B, C, D, E and H may varied; and
16. directs that references to the time within which return is prohibited or the time limit in authorised signs A and E may be added; and
17. directs that references to the time within which return is prohibited or the time limit in authorised signs B, C, D and H may be varied; and
18. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the erection of the authorised signs A-H and the placing of the authorised marking, at or near the said sites shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised signs A-H and the authorised marking and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations, as amended by the Amendment Regulations, shall apply to the authorised sign A in the same manner as they apply to the sign shown in diagram 660.3 in Schedule 2 to those Regulations.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations, as amended by the Amendment Regulations, shall apply to the authorised signs B, C and D in the same manner as they apply to the sign shown in diagram 660.7 in Schedule 2 to those Regulations.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations, as amended by the Amendment Regulations, shall apply to the authorised sign E in the same manner as they apply to the sign shown in diagram 663.3 in Schedule 2 to those Regulations.



Department
for Transport

GT50/082/0017


The provisions of Regulations 12, 18 and 19 of the 2002 Regulations, as amended by the Amendment Regulations, shall apply to the authorised sign F in the same manner as they apply to the sign shown in diagram 661A in Schedule 2 to those Regulations.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations, as amended by the Amendment Regulations, shall apply to the authorised sign G in the same manner as they apply to the sign shown in diagram 660.8 in Schedule 2 to those Regulations.


The provisions of Regulations 12, 18 and 19 of the 2002 Regulations, as amended by the Amendment Regulations, shall apply to the authorised sign H in the same manner as they apply to the sign shown in diagram 639.1B in Schedule 2 to those Regulations.

Dated 11 July 2013

Signed by authority of the Secretary of State

.....


A Delegated Official of the Department for Transport



A

Plates to be made from Composite

Department for Transport
 Date: 9 July 2013
 No. GT50/082/0017-1



Client Name L. B. HARINGEY		
Sign Reference ZC318/A1	x-height	20.0
Letter colour BLACK	Single Sided	
Background WHITE	Width	321mm
Border BLACK	Height	470mm
Material Class RA2 (12899-1:2007)	Area	0.15sq.m
Radius corner 3	Quantity 1	
Number of bars 2	Channel bars	SMALL
Metal	Layout	Dispatch



Client Name L. B. HARINGEY		
Sign Reference ZC318/A2	x-height	20.0
Letter colour BLACK	Single Sided	
Background WHITE	Width	321mm
Border BLACK	Height	470mm
Material Class RA2 (12899-1:2007)	Area	0.15sq.m
Radius corner 3	Quantity 1	
Number of bars 2	Channel bars	SMALL
Metal	Layout	Dispatch

Aluminium
Channel
Rivets
Black
White
Yellow
Red
Blue
Green
Brown
Grey
P.O.F.
Plate Material
Reverse Colour
Approved By
Date
Drawn Date
05/04/2013 16:27:49

Please ensure that all sign details, including dimensions, are checked thoroughly before approving these designs as we may have intentionally altered your requested signface layouts and/or dimensions to be more compliant with the guidelines laid out in the TSRGD 2002 and Chapter 7 of the Traffic Signs Manual 2003.

B

Plates to be made from Composite



Client Name L. B. HARINGEY		
Sign Reference ZC318/B1	x-height	20.0
Letter colour BLACK	Single Sided	
Background WHITE	Width	333mm
Border BLACK	Height	745mm
Material Class RA2 (12899-1:2007)	Area	0.25sq.m
Radius corner 3	Quantity 1	
Number of bars 2	Channel bars	SMALL
Metal	Layout	Dispatch



Client Name L. B. HARINGEY		
Sign Reference ZC318/B2	x-height	20.0
Letter colour BLACK	Single Sided	
Background WHITE	Width	333mm
Border BLACK	Height	745mm
Material Class RA2 (12899-1:2007)	Area	0.25sq.m
Radius corner 3	Quantity 1	
Number of bars 2	Channel bars	SMALL
Metal	Layout	Dispatch



Aluminium
Channel
Rivets
Black
White
Yellow
Red
Blue
Green
Brown
Grey
P.O.F.
Plate Material
Reverse Colour
Approved By
Date
Drawn Date
05/04/2013 16:28:04

Please ensure that all sign details, including dimensions, are checked thoroughly before approving these designs as we may have intentionally altered your requested signface layouts and/or dimensions to be more compliant with the guidelines laid out in the TSRGD 2002 and Chapter 7 of the Traffic Signs Manual 2003.

C



Client Name L. B. HARINGEY	
Sign Reference ZC318/C1	x-height 20.0
Letter colour BLACK	Single Sided
Background WHITE	Width 406mm
Border BLACK	Height 1075mm
Material Class RA2 (12899-1:2007)	Area 0.44sq.m
Radius corner 3	Quantity 1
Number of bars 3	Channel bars SMALL
Metal	Layout Dispatch

Client Name L. B. HARINGEY	
Sign Reference ZC318/C2	x-height 20.0
Letter colour BLACK	Single Sided
Background WHITE	Width 406mm
Border BLACK	Height 1075mm
Material Class RA2 (12899-1:2007)	Area 0.44sq.m
Radius corner 3	Quantity 1
Number of bars 3	Channel bars SMALL
Metal	Layout Dispatch



Aluminium

Channel

Rivets

Black

White

Yellow

Red

Blue

Green

Brown

Grey

P.O.F.

Plate Material

Reverse Colour

Approved By

Date

Drawn Date

05/04/2013 16:28:20

Please ensure that all sign details, including dimensions, are checked thoroughly before approving these designs as we may have intentionally altered your requested signface layouts and/or dimensions to be more compliant with the guidelines laid out in the TSRGD 2002 and Chapter 7 of the Traffic Signs Manual 2003.

D

Plates to be made from Composite



Client Name L. B. HARINGEY		
Sign Reference ZC318/D1	x-height	20.0
Letter colour BLACK	Single Sided	
Background WHITE	Width	333mm
Border BLACK	Height	600mm
Material Class RA2 (12899-1:2007)	Area	0.20sq.m
Radius corner 3	Quantity 1	
Number of bars 2	Channel bars	SMALL
Metal	Layout	Dispatch

Client Name L. B. HARINGEY		
Sign Reference ZC318/D2	x-height	20.0
Letter colour BLACK	Single Sided	
Background WHITE	Width	333mm
Border BLACK	Height	600mm
Material Class RA2 (12899-1:2007)	Area	0.20sq.m
Radius corner 3	Quantity 1	
Number of bars 2	Channel bars	SMALL
Metal	Layout	Dispatch



Aluminium
Channel
Rivets
Black
White
Yellow
Red
Blue
Green
Brown
Grey
P.O.F.
Plate Material
Reverse Colour
Approved By
Date
Drawn Date
05/04/2013 16:28:38

Please ensure that all sign details, including dimensions, are checked thoroughly before approving these designs as we may have intentionally altered your requested signface layouts and/or dimensions to be more compliant with the guidelines laid out in the TSRGD 2002 and Chapter 7 of the Traffic Signs Manual 2003.

E

Plates to be made from Composite



Aluminium

Channel

Rivets

Black

White

Yellow

Red

Blue

Green

Brown

Grey

P.O.F.

Plate Material

Reverse Colour

Approved By

Date

Drawn Date

05/04/2013 16:28:54



Client Name L. B. HARINGEY	
Sign Reference ZC318/E1	x-height 40.0
Letter colour BLACK	Single Sided
Background WHITE	Width 641mm
Border BLACK	Height 830mm
Material Class RA2 (12899-1:2007)	Area 0.53sq.m
Radius corner 8	Quantity 1
Number of bars 3	Channel bars SMALL
Metal	Layout Dispatch



Client Name L. B. HARINGEY	
Sign Reference ZC318/E2	x-height 40.0
Letter colour BLACK	Single Sided
Background WHITE	Width 641mm
Border BLACK	Height 830mm
Material Class RA2 (12899-1:2007)	Area 0.53sq.m
Radius corner 8	Quantity 1
Number of bars 3	Channel bars SMALL
Metal	Layout Dispatch

Please ensure that all sign details, including dimensions, are checked thoroughly before approving these designs as we may have intentionally altered your requested signface layouts and/or dimensions to be more compliant with the guidelines laid out in the TSRGD 2002 and Chapter 7 of the Traffic Signs Manual 2003.

F

Plates to be made from Composite



Client Name L. B. HARINGEY		
Sign Reference ZC318/F1	x-height	20.0
Letter colour BLACK	Single Sided	
Background WHITE	Width	319mm
Border BLACK	Height	320mm
Material Class RA2 (12899-1:2007)	Area	0.10sq.m
Radius corner 3	Quantity 1	
Number of bars 2	Channel bars	SMALL
Metal	Layout	Dispatch



Client Name L. B. HARINGEY		
Sign Reference ZC318/F2	x-height	20.0
Letter colour BLACK	Single Sided	
Background WHITE	Width	319mm
Border BLACK	Height	320mm
Material Class RA2 (12899-1:2007)	Area	0.10sq.m
Radius corner 3	Quantity 1	
Number of bars 2	Channel bars	SMALL
Metal	Layout	Dispatch



Aluminium
Channel
Rivets
Black
White
Yellow
Red
Blue
Green
Brown
Grey
P.O.F.
Plate Material
Reverse Colour
Approved By
Date
Drawn Date
05/04/2013 16:29:07

Please ensure that all sign details, including dimensions, are checked thoroughly before approving these designs as we may have intentionally altered your requested signface layouts and/or dimensions to be more compliant with the guidelines laid out in the TSRGD 2002 and Chapter 7 of the Traffic Signs Manual 2003.

G

Plates to be made from Composite



Aluminium

Channel

Rivets

Black

White

Yellow

Red

Blue

Green

Brown

Grey

P.O.F.

Plate Material

Reverse Colour

Approved By

Date

Drawn Date

05/04/2013 16:29:19



Client Name L. B. HARINGEY		
Sign Reference ZC318/G1	x-height	20.0
Letter colour BLACK	Single Sided	
Background WHITE	Width	343mm
Border BLACK	Height	403mm
Material Class RA2 (12899-1:2007)	Area	0.14sq.m
Radius corner 3	Quantity	1
Number of bars 2	Channel bars	SMALL
Metal	Layout	Dispatch

Client Name L. B. HARINGEY		
Sign Reference ZC318/G2	x-height	20.0
Letter colour BLACK	Single Sided	
Background WHITE	Width	343mm
Border BLACK	Height	403mm
Material Class RA2 (12899-1:2007)	Area	0.14sq.m
Radius corner 3	Quantity	1
Number of bars 2	Channel bars	SMALL
Metal	Layout	Dispatch

Please ensure that all sign details, including dimensions, are checked thoroughly before approving these designs as we may have intentionally altered your requested signface layouts and/or dimensions to be more compliant with the guidelines laid out in the TSRGD 2002 and Chapter 7 of the Traffic Signs Manual 2003.

Plates to be made from Composite

H



Client Name L. B. HARINGEY	
Sign Reference ZC318/H1	x-height 20.0
Letter colour BLACK	Single Sided
Background YELLOW / WHITE	Width 341mm
Border BLACK	Height 858mm
Material Class RA2 (12899-1:2007)	Area 0.29sq.m
Radius corner 3	Quantity 1
Number of bars 3	Channel bars SMALL
Metal	Layout Dispatch

Client Name L. B. HARINGEY	
Sign Reference ZC318/H2	x-height 20.0
Letter colour BLACK	Single Sided
Background YELLOW / WHITE	Width 341mm
Border BLACK	Height 858mm
Material Class RA2 (12899-1:2007)	Area 0.29sq.m
Radius corner 3	Quantity 1
Number of bars 3	Channel bars SMALL
Metal	Layout Dispatch



Aluminium

Channel

Rivets

Black

White

Yellow

Red

Blue

Green

Brown

Grey

P.O.F.

Plate Material

Reverse Colour

Approved By


Date

Drawn Date

05/04/2013 16:29:37

Please ensure that all sign details, including dimensions, are checked thoroughly before approving these designs as we may have intentionally altered your requested signface layouts and/or dimensions to be more compliant with the guidelines laid out in the TSRGD 2002 and Chapter 7 of the Traffic Signs Manual 2003.

NOTES:



**PARKING BAY MARKINGS
(REFER TSRGD 2002 - DIAGRAM 1028.3)**

A Parking bay reserved for blue badge holders.

With variant:

- (a) At the edge of the carriageway situated wholly on either carriageway or the footway; or
- (b) Partly on the carriageway and partly on the footway.

Rev	Description	Checked	Date

Project: TRAFFIC MANAGEMENT
2013 - 2014 SCHEMES

Bay: PARKING BAY RESERVED FOR
BLUE BADGE HOLDERS

Scale: 1:50 (Minimum spacing of 100 mm to adjacent markings)
Drawing Project: 2013-14 Works Programme of Carriageway Parking
Signs & Markings

Category	Item	Code	Quantity
BMG	BMG		

Scale: NTS
Date Issued: April 2013

Place & Sustainability
SINGLE FRONTLINE