

# ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65 AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS

The Secretary of State for Transport, in exercise of his powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984, and of all other powers enabling him in that behalf, for the purpose of directing traffic on Emergency Evacuation Routes on roads for which Lincolnshire is traffic authority, hereby:-

- authorises the placing at suitable sites on the said roads of a traffic sign (hereinafter referred to as "the authorised sign A") conforming as to size, colour and character with the sign referenced A in the attached set of drawings numbered GT50/068/0019-1; and
- authorises the placing at suitable sites on the said roads of a traffic sign (hereinafter referred to as "the authorised sign B") conforming as to size, colour and character with the sign referenced B in the said set of drawings and
- authorises the placing on suitable traffic signs on the said roads of a patch (hereinafter referred to as "the authorised patch C") conforming as to size, colour and character with the patch referenced C in the said set of drawings; and
- authorises the placing on suitable traffic signs on the said roads of a patch (hereinafter referred to as "the authorised patch D") conforming as to size, colour and character with the patch referenced D in the said set of drawings; and
- authorises the placing on suitable traffic signs on the said roads of a traffic sign (hereinafter referred to as "the authorised sign E") conforming as to size, colour and character with the sign referenced E in the said set of drawings; and



6. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the placing of the authorised signs A, B and E and authorised patches C and D, at or near the said site shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised signs A, B and E, and authorised patches C and D, and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised signs A, B and E in the same manner as they apply to the traffic sign shown in diagram 2710 in Schedule 7 Part 8 to those Regulations.

The provisions of Regulations 12, and 20 of the 2002 Regulations shall apply to the authorised patches C and D in the same manner as they apply to the traffic sign shown in diagram 2710 in Schedule 7 Part 8 to those Regulations.

Dated 9 Jecunic 2013

Signed by authority of the Secretary of State



A Delegated Official of the Department for Transport

CERTIFIED TRUE COPY

9/12/13

DEPARTMENT FOR TRANSPORT

Stickers to be used as patches on direction signs. White border required when placed on a dark background.

19	out	90
ľ	<u> </u>	Э.
	_ [	/

	Non bordered sticker											
Main x-height (mm)	"out" x-height (mm)	width (mm)	height (mm)	area (sq.m)	Letter colour	Border colour	Background colour					
50	25	200	200	0.040	WHITE	=	RED					
60	30	240	240	0.060	WHITE	-	RED					
75	37.500	300	300	0.090	WHITE		RED					
100	50	400	400	0.160	WHITE	i <del></del>	RED					
125	62.500	500	500	0.250	WHITE	-	RED					
150	75	600	600	0.360	WHITE	=======================================	RED					



	Bordered sticker										
Main x-height (mm)	"out" x-height (mm)	width (mm)	height (mm)	area (sq.m)	Letter colour	Border colour	Background colour				
50	25	210	210	0.040	WHITE	WHITE	RED				
60	30	255	255	0.070	WHITE	WHITE	RED				
75	37.500	320	320	0.100	WHITE	WHITE	RED				
100	50	425	425	0.180	WHITE	WHITE	RED				
125	62.500	530	530	0.280	WHITE	WHITE	RED				
150	75	635	635	0.400	WHITE	WHITE	RED				

## **Department for Transport**

Date: 9 December 2013

No. GT50/068/0019-1

### **APPROVED FOR ISSUE**



TECHNICAL SERVICES PARTNERSHIP WITHAM PARK HOUSE, WITHAM PARK, WATERSIDE SOUTH LINCOLN LN5 7JN Customer Service Center (2)15221 762079

TO BE C	URRENT	Y USE, THIS DRAWING SHALL BE DEEMED ONLY ON THE DATE OF APPROVAL, PLEASE NDMENTS BEFORE USE.	NO.	T TO S	CALE	Scheme: Coastal Evacuation Routes Emergency Evacuation Sign				
AMEN	DMENT	DETAILS	Amendment	Amendment	Amenament	=/		0 / 0/	1.40000 /	4-D0
Revision:	Dale:	Description:		Checked By:	Approved By:	F/ HRCLX0002 / 01/8000 / 18RS			1aRS Sign Reference	
			-			Drawn by:	Checked by:	1st Approval By:	1st Approval	Davii.
			-			SF SAS JJ Date: 31/10/13 Rev			Rev.	

Stickers to be used as patches on direction signs. White border required when placed on a dark background.



	Non bordered sticker										
Main x-height (mm)	"out" x-height (mm)	width (mm)	height (mm)	area (sq.m)	Letter colour	Border colour	Background colour				
50	25	200	200	0.040	WHITE	₩.	RED				
60	30	240	240	0.060	WHITE	<b>H</b> :	RED				
75	37.500	300	300	0.090	WHITE	#:	RED				
100	50	400	400	0.160	WHITE	=	RED				
125	62.500	500	500	0.250	WHITE	-	RED				
150	75	600	600	0.360	WHITE	=	RED				

PATCH D



	Bordered sticker										
Main x-height (mm)	"out" x-height (mm)	width (mm)	height (mm)	area (sq.m)	Letter colour	Border colour	Background colour				
50	25	210	210	0.040	WHITE	WHITE	RED				
60	30	255	255	0.070	WHITE	WHITE	RED				
75	37.500	320	320	0.100	WHITE	WHITE	RED				
100	50	425	425	0.180	WHITE	WHITE	RED				
125	62.500	530	530	0.280	WHITE	WHITE	RED				
150	75	635	635	0.400	WHITE	WHITE	RED				

## **APPROVED FOR ISSUE**

Lincolnshire HIGHWAYS ALLIANCE

TECHNICAL SERVICES PARTNERSHIP
WITHAM PARK HOUSE,
WITHAM PARK,
WATERSIDE SOUTH
LINCOLN LIN5 7JN
Custamer Sennica Cerke (01522) 782070

TO BE C	THIRD PARTY USE, THIS DRAWING SHALL BE DEEMED  CURRENT ONLY ON THE DATE OF APPROVAL, PLEASE  K FOR AMENDMENTS BEFORE USE.  NOT TO SCAI			CALE	Scheme: Coastal Evacuation Routes Emergency Evacuation Signs					
AMEN	DMENT	DETAILS					<u>-</u>			
Revision:	Date:	Description:		Amendment Checked By:	Amenament Approved By:		CLX000	)2 / 01		1aRS Sign Reference
						Drawn by:	Checked by	1st Approval By:	1st Approval	
						SF	SAS	JJ	Date: 31/10/13	Rev:



	Flag type direction sign										
Main x-height (mm)	"out" x-height (mm)	width (mm)	height (mm)	area (sq.m)	Letter colour	Border colour	Background colour				
50	25	370	240	0.090	WHITE	WHITE	RED				
60	30	445	285	0.130	WHITE	WHITE	RED				
75	37.500	555	355	0.200	WHITE	WHITE	RED				
100	50	740	475	0.350	WHITE	WHITE	RED				
125	62.500	925	595	0.550	WHITE	WHITE	RED				
150	75	1110	715	0.790	WHITE	WHITE	RED				



	Advanced direction sign										
Main x-height (mm)	"out" x-height (mm)	width (mm)	height (mm)	area (sq.m)	Letter colour	Border colour	Background colour				
50	25	470	240	0.110	WHITE	WHITE	RED				
60	30	560	285	0.160	WHITE	WHITE	RED				
75	37.500	700	355	0.250	WHITE	WHITE	RED				
100	50	935	475	0.440	WHITE	WHITE	RED				
125	62,500	1170	595	0.690	WHITE	WHITE	RED				
150	75	1405	715	1.000	WHITE	WHITE	RED				

## **APPROVED FOR ISSUE**



TECHNICAL SERVICES PARTNERSHIP WITHAM PARK HOUSE, WITHAM PARK, WATERSIDE SOUTH LINCOLN LIN5 7JN Customer Service Cente | (91522) 782070

TO BE C	URRENT	TY USE, THIS DRAWING SHALL BE DEEMED ONLY ON THE DATE OF APPROVAL, PLEASE ENDMENTS BEFORE USE.	NO <sup>-</sup>	T TO S	CALE	
AMEN Revision:		Description:	Amendment Drawn By:	Amenoment Checked By:	Amendment Approved By:	
						Ľ

Scheme: Coastal Evacuation Routes **Emergency Evacuation Signs** 

F/ H	IRCLXO Drawing Series Numb	/ O 1	1 /8000 ber Dwg Series Nt. inber	/ 1bRS Skyn Reference
		.120 6	Less Assessed	1

Drawn by: Checked by: 1st Approval By: 1st Approval Date: 31/10/13 Rev: SAS SF JJ

#### Legend used on directional signs where necessary:-

### SIGN A



	Flag type direction sign										
Main x-height (mm)	"out" x-height (mm)	width (mm)	height (mm)	area (sq.m)	Letter colour	Border colour	Background colour				
50	25	370	240	0.090	WHITE	WHITE	RED				
60	30	445	285	0.130	WHITE	WHITE	RED				
75	37.500	555	355	0.200	WHITE	WHITE	RED				
100	50	740	475	0.350	WHITE	WHITE	RED				
125	62,500	925	595	0.550	WHITE	WHITE	RED				
150	75	1110	715	0.790	WHITE	WHITE	RED				

### SIGN B



Advanced direction sign											
Main x-height (mm)	"out" x-height (mm)	width (mm)	height (mm)	area (sq.m)	Letter colour	Border colour	Background colour				
50	25	470	240	0.110	WHITE	WHITE	RED				
60	30	560	285	0.160	WHITE	WHITE	RED				
75	37.500	700	355	0.250	WHITE	WHITE	RED				
100	50	935	475	0.440	WHITE	WHITE	RED				
125	62.500	1170	595	0.690	WHITE	WHITE	RED				
150	75	1405	715	1.000	WHITE	WHITE	RED				

## **APPROVED FOR ISSUE**



TECHNICAL SERVICES PARTNERSHIP
WITHAM PARK HOUSE,
WITHAM PARK,
WATERSIDE SOUTH
LINCOLN LNS 7 JN
Customer Service Center (91522) 782070

HIGHWAYS ALLIANCE

FOR THIRD PARTY USE, THIS DRAWING SHALL BE DEEMED TO BE CURRENT ONLY ON THE DATE OF APPROVAL PLEASE OFFICE FOR AMENDMENTS REFORE USE AMENDMENT DETAILS  TO SCALE					ation Signs	S
Amendment Checked By:				02 / <sub>8</sub> 0	1 /8000 mber Dwg Sernes NL mber	/ 1bRS Sign Reference
		Drawn by:	/	H	1 st Approval Date: 31/10/13	Rev
			Checked By: Approved By: F/ MF	Amendment Checked By: Amendment Approved By: F/HRCLX00 Pawer Stee: Drawn by: Checked by:	Amendment Checked By: Approved By: F/HRCLX0002 / 10  Drawn by: Checked by: 1st Approved By:	Amendment Amendment Checked By: Approved By: F/HRCLX0002 / 01 /8000 by Seres Number Drawn by: Checked by: 1st Approved Date:

Signs to be used to indicate the end of the Emergency Evacuation Route.



End of route sign											
Main x-height (mm) "out" x-height (mm) width (mm) height (sq.m) Letter colour Border colour Background											
50	25	240	240	0.060	WHITE	WHITE	RED				
60	30	285	285	0.080	WHITE	WHITE	RED				
75	37,500	355	355	0.130	WHITE	WHITE	RED				
100	50	475	475	0.220	WHITE	WHITE	RED				
125	62.500	595	595	0.350	WHITE	WHITE	RED				
150	75	715	715	0.510	WHITE	WHITE	RED				

## APPROVED FOR ISSUE

Lincolnshire

TECHNICAL SERVICES PARTNERSHIP WITHAM PARK HOUSE, WITHAM PARK, WATERSIDE SOUTH LINCOLN LN5 7JN Custamer Service Cester (01522) 702070

	COUN	TY CO	JNCIL	•
HIGHWA	YS	ALL	AAI.	ICE
		6	( <del>6</del> )	*

TO BE CURRENT ONLY ON THE DATE OF APPROVAL. PLEASE CHECK FOR AMENDMENTS BEFORE USE.			NOT TO SCALE			Scheme: Coastal Evacuation Routes Emergency Evacuation Signs				
AMEN	DMENT	DETAILS								
Revision:	Date:	Description:	Amenoment Drawn By:	Amendment Checked By:	Amendment Approved By:		CLX000	)2 / <sub>00 Numb</sub>		2RS Sion Reference
A4	16/9/13	Sizes of signs specified	SF	SAS	IJ				·	T
A5	22/10/13	Tables inserted to show various sign sizes	SF	SAS	JJ	, ,		1st Approval By:	Date:	Rev: A5
А3	16/8/13	Design changed to remove dots from "ER"	SF	SAS	JJ	SF CJR	JJ	11/6/13	/ 10	

Signs to be used to indicate the end of the Emergency Evacuation Route.

## ${\tt SIGN}_{\rm E}$



End of route sign											
Main x-height (mm)	"out" x-height (mm)	width (mm)	height (mm)	area (sq.m)	Letter colour	Border colour	Background colour				
50	25	240	240	0.060	WHITE	WHITE	RED				
60	30	285	285	0.080	WHITE	WHITE	RED				
75	37.500	355	355	0.130	WHITE	WHITE	RED				
100	50	475	475	0.220	WHITE	WHITE	RED				
125	62.500	595	595	0.350	WHITE	WHITE	RED				
150	75	715	715	0.510	WHITE	WHITE	RED				

## APPROVED FOR ISSUE



TECHNICAL SERVICES PARTNERSHIP WITHAM PARK HOUSE, WITHAM PARK, WATERSIDE SOUTH LINCOLN LN5 7JN Customer Service Cerve\* (01522) 762070

COUNTY COUNCIL	
HIGHWAYS ALLIANCE	:
<b>*</b>	

TO BE C	URRENT O	USE, THIS DRAWING SHALL BE DEEMED NILY ON THE DATE OF APPROVAL. PLEASE DMENTS BEFORE USE. DETAILS	NOT TO SCALE			Scheme: Coastal Evacuation Routes Emergency Evacuation Signs					
Revision:		Description:		Amendinent Checked By:	Amendment Approved By:		CLX000	)2 / 01		2RS Skon Reference	
A4	16/9/13	Sizes of signs specified	SF	SAS	JJ			1st Approval By:		org/ Nazione	
A5	22/10/13	Tables inserted to show various sign sizes	SF	SAS	JJ	1	· ·	%	Date:	Rev: A5	
A3	16/8/13	Design changed to remove dols from "ER"	SF	SAS	JJ	SF	CJR	JJ	11/6/13	, .0	