

GT50/128/0001

ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65 AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS

The Secretary of State for Transport, in exercise of his powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984 and of all other powers enabling him in that behalf, for the purpose of informing road users of a Restricted Zone in Kings Road, Bury St Edmunds, hereby:-

- authorises the erection at or within 5 metres of the sites marked with a green cross on the attached plan numbered GT50/128/0001-1 of a traffic sign (hereinafter referred to as "the authorised sign A") conforming as to size, colour and character with that shown on the attached drawing numbered NP 663.2, save that the legend on the lower panel shall read "At any time except in signed bays"; and
- authorises the erection at or within 5 metres of the site marked with an orange cross on the said plan of a traffic sign (hereinafter referred to as "the authorised sign B") conforming as to size, colour and character with that shown on the attached drawing numbered NP 664.1; and
- authorises the erection at appropriate sites on the said plan of a traffic sign (hereinafter referred to as "the authorised sign C") conforming as to size, colour and character with that shown on the attached drawing numbered NP 637.4; and





- 4. authorises the erection at or within 5 metres of the sites marked with a blue cross on the said plan of a traffic sign (hereinafter referred to as "the authorised sign D") conforming as to size, colour and character with that shown on the attached drawing numbered NP 960.2; and
- authorises the erection at or within 5 metres of the sites marked with a brown cross on the said plan of a traffic sign (hereinafter referred to as "the authorised sign E") conforming as to size, colour and character with that shown on the attached drawing numbered GT50/128/0001-2; and
- directs, that it is a condition of this authorisation that the authorised signs A, B, C, D and E may only be placed to indicate the effect of a corresponding Traffic Regulation Order; and
- 7. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the placing of the authorised signs A, B, C, D and E at or near the said sites shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised signs A, B, C, D and E and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised sign A in the same manner as they apply to the sign shown in diagram 663 in Schedule 2 to those Regulations.



The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised sign B in the same manner as they apply to the sign shown in diagram 664 in Schedule 2 to those Regulations.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised sign C in the same manner as they apply to the sign shown in diagram 637 in Schedule 2 to those Regulations.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised sign D in the same manner as they apply to the sign shown in diagram 960.1 in Schedule 5 to those Regulations.


The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised sign E in the same manner as they apply to the sign shown in diagram 660.4 in Schedule 2 to those Regulations.

Dated 16 1 2011

Signed by authority of the Secretary of State

A Grade 7 Official of the Department for Transport

La/4/204
DENSITION FOR TRANSPORT







GREEN COLOURED SURFACING ENTRANCE FEATURE TO CYCLE

SIGN REF. M



DIAGRAM 967 440 x 300 WALL MOUNTED ON SIDE BRACKET

DIAGRAM 606

NOT TO SCALE

SIGN REF. A



DIAGRAM 616 270mm DIAMETER MOUNTED ON NATURAL STONE BOLLARD ILLUMINATED BY GROUND LEVEL UPLIGHTER





DIAGRAM 610 270mm DIAMETER LEVEL UPLIGHTER

SIGN REF. C



DIAGRAM 955 450mm DIAMETER POST MOUNTED ILLUMINATED

BACK TO BACK WITH



ENDS Diagram NP 664.1 POST MOUNTED

Restricted

Zone

SIGN REF. D



DIAGRAM 616 600mm DIAMETER POST MOUNTED ILLUMINATED

BACK TO BACK WITH



DIAGRAM 521 600mm PLATE HEIGHT POST MOUNTED ILLUMINATED

SIGN REF. E



At any time except in signed bays

Variant of Diagram NP 663.2 LIGHT COLUMN MOUNTED NON-ILLUMINATED

ABOVE



DIAGRAM NP 960.2 650mm x 475mm

SIGN REF. F

Restricted ZONE



signed bays Variant of Diagram NP 663.2

ABOVE

NON-ILLUMINATED



At other times Variant of Diagram 660.4 POST MOUNTED

SIGN REF. K



WALL MOUNTED NON-ILLUMINATED

SIGN REF. I & J SIGN REF. L



Variant of Diagram NP 637.4 LIGHT COLUMN / POST MOUNTED NON-ILLUMINATED



Variant of Diagram NP 637.4



DIAGRAM 613 600mm DIAMETER POST MOUNTED ILLUMINATED

ABOVE



DIAGRAM 954.4 50mm X-HEIGHT POST MOUNTED ILLUMINATED




PLANNING & ENGINEERING SERVICES

King's Road Enhancement Works

Signage and Road Markings

Shown July 08 HS JH 6.6.8-3

450 DIAMETER DIAGRAM NP 960.2 MOUNTED ON NATURAL STONE BOLLARD ILLUMINATED BY GROUND POST MOUNTED 650mm x 475mm ILLUMINATED LIGHT COLUMN MOUNTED POST MOUNTED NON-ILLUMINATED NON-ILLUMINATED NON-ILLUMINATED



Drawing No.

NP 663.2 Sheet 2 of 2

Before using this drawing, confirm that it has not been superseded.

Restricted


CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet at the x-heights shown where shown. See sheet 1 for other x-heights.

2. The tile outlines do not form part of the signs.

3. COLOURS: Background ---- WHITE Legend & Borders ---- BLACK Roundel & Bar ---- RED Roundel Background --- BLUE


- 4. DIMENSIONS: All dimensions are based on the smaller x-heights and shall be varied proportionally for the larger sign size.
- 5. See sheet 1 for other dimensions.





NOTE: -

The character shown is from the Transport Medium alphabet. The character and the patch may be varied in size and may be in any contrasting colours.



NP663x2-2

Department for **Transport**

990

39

Title:

39

min

Regulatory Signs

ENTRANCE TO RESTRICTED PARKING ZONE (variants)

Issue: A:

450

dia

60 x-ht

(80)

Date:

31.8.07

B: C: Drawn by:

L.W.

MILLIMETRES Approved by: R.M.

Dimensions:

Drawing No.

663.2 Sheet 2 of 2

Drawing No. NP 664.1


Related Drawing P 636


Before using this drawing, confirm that it has not been superseded.

© CROWN COPYRIGHT

NOTES:— 1. The legends are from the Transport Heavy alphabet at the x—heights shown.

- 2. The roundel dimensions are proportional to those shown on drawing P 636.
- 3. The tile outlines do not form part of the signs.
- 4. COLOURS : Backgrounds ----- WHITE Legends, Borders & Diagonal Bars --- BLACK Roundels & Symbols ----- GREY





NP664x1

Department for **Transport**

Title:

Regulatory Signs

RESTRICTED ZONE ENDS

Issue: Date: A: 14.12.06

B: C: Drawn by: L.W.


Approved by:

Dimensions:

MILLIMETRES

Drawing No.

NP 664.1



Drawing No.

NP 637.4 Sheet 2 of 2

Related Drawing P 636

Before using this drawing, confirm that it has not been superseded.


(C) CROWN COPYRIGHT

NOTES: 1. The legend is from the Transport Heavy alphabet at the x-height shown.


- 2. The dimensions of the roundel are proportional to those shown on drawing P 636.
- 3. The tile outlines do not form part of the signs.
- 4. COLOURS: Background (No waiting panel) --- YELLOW Background (No loading panel) --- WHITE Legends & Borders ----- BLACK Roundel & Bar ---- RED Roundel background ----- BLUE
- 5. DIMENSIONS: x-height is in millimetres, other dimensions are in stroke widths. (4sw = x-height)
- 6. See section 12 in Chapter 7 of the Traffic Signs Manual for further details of time plate design.
- 7. See sheet 1 for other dimensions and variants.



*2.5 min







NP637x4-2

Department for Transport

Title:

Regulatory Signs

RESTRICTED ZONE WAITING and LOADING PROHIBITION Issue: A:

C:

Date: 31.8.07 B:

L.W. Approved by: R.M.

Drawn by:

Dimensions:


SEE NOTE 5 Drawing No.

637.4 Sheet 2 of 2

Drawing No.

NP 960.2

Related Drawing S 24



(C) CROWN COPYRIGHT. This drawing must NOT be reproduced.

NOTES: - 1. Details of the cycle symbol are on dwg. S 24.

- 2. The outline of the tile does not form part of the sign.
- 3. COLOURS: BS.873: Part 6 Symbol, Border and Arrows ---- WHITE Background ---- BLUE
- 4. Dimensions are shown in stroke widths (one quarter of notional x-heights). The Table of Sign Sizes shows the actual sign sizes in millimetres.

TABLE OF SIGN	SIZES (mm)
Stroke Widths	12.5	15
Width of Sign	650	780
Height of Sign	475	570

NP960x2

Before using this drawing, confirm that it has not been superseded.



Title:

Regulatory Sign

CONTRA-FLOW CYCLES

A:

C:

Issue: Date: 5.12.95 B:

R.M. Approved by: R.M.

Drawn by:

Dimensions:

SEE NOTE 4 Drawing No.




VARIANT OF NP 660.4 SIGN REF G

Scheme Ref.	
Sign Ref. 1	x-height 20.0
Letter colour BLACK	SIGN FACE
Background WHITE	Width 313mm
Border BLACK	Height 372mm
Material Class RA2 (12899-1:200	7) Area 0.116sq.m

Department for Transport

Tate 15/4/11

9730/128/0001-2



PROPERTY & ENGINEERING SERVICES



SIGIA L	NT OF NP 6 REF G		
Scale:	Date	Drawn Bv:	Approved By
NTS	FEB 11	MÁC	,,,,,,
			Revision:

Froject
KINGS ROAD
ENHANCEMENT WORKS