

ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65 AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS

The Secretary of State for Transport in exercise of powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984¹, and of all other powers enabling him in that behalf, hereby gives the authorisation contained in paragraphs 2 and 3 of this Instrument and the directions contained in paragraph 4 of this Instrument.

1. In this Instrument -

"Authorised sign" means a traffic sign whose placing on roads is authorised by paragraph 2;

"the London Ultra Low Emission Zone" means the area in respect of which charges are imposed for the keeping or use of motor vehicles not meeting certain emission standards pursuant to a Scheme;

"Scheme" means a scheme for imposing charges made in respect of keeping or use of certain motor vehicles not meeting certain emission standards made by Transport for London pursuant to sections 295 and 420 (1) and by Schedule 23 of the Greater London Authority Act 1999²;

"the 2016 Regulations" means the Traffic Signs Regulations and General Directions 2016 (Part 1 of S.I. 2016/362)³.

¹ 1984 c.27

² 1999 c.29

³ SI 2016 No.362



2. The Secretary of State hereby:-

- (1) authorises the erection at appropriate sites on or near any road in Greater London of a traffic sign (hereinafter referred to as "the authorised sign A") conforming as to size, colour and character with that referenced "Sign A" in the attached set of drawings numbered GT50/139/0177-1 save that (i) the distance may be varied or omitted; (ii) "ahead" may be omitted and an arrow pointing horizontally to the left or to the right placed centrally below the distance; (iii) a reference to the times of operation may be added; and (iv) the x-height may be varied as indicated; and
- (2) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as "the authorised sign B") conforming as to size, colour and character with that referenced "Sign B" in the said set of drawings save that (i) the distance may be varied or omitted; (ii) "ahead" may be omitted and an arrow pointing horizontally to the left or to the right placed centrally below the distance; (iii) a reference to the times of operation may be added; (iv) the x-height may be varied as indicated; (v) the legend in the top panel may be rearranged to fit over three lines; (vii) the legend in the bottom panel may be rearranged to fit over one line; (viii) "and" may be varied to "&"; and (ix) the roundels may be rearranged so that they are placed horizontally next to each other; and
- (3) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as "the authorised sign C") conforming as to size, colour and character with that referenced "Sign C" in the said set of drawings save that (i) the x-height may be varied as indicated; (ii) a legend may be added giving the name, and any logo, of the local authority; and (iii) the ULEZ symbol may be placed to the left of the camera symbol; and



- (4) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as "the authorised sign D") conforming as to size, colour and character with that referenced "Sign D" in the said set of drawings save that (i) the reference to the times of operation may be varied or omitted; (ii) the reference to the date may be varied or omitted; and (iii) the x-height may be varied as indicated; and
- (5) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as "the authorised sign E") conforming as to size, colour and character with that referenced "Sign E" in the said set of drawings save that (i) the reference to the date may be varied or omitted; and (ii) the xheight may be varied as indicated; and
- (6) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as "the direction sign") consisting of the legend or symbol, or a combination, provided for in Schedule 12 to the 2016 Regulations, save that (i) the symbol (hereinafter referred to as "the authorised symbol") conforming as to size, colour and character with that referenced "Authorised Symbol" in the said set of drawings may be added to the direction sign; and (ii) the size of the authorised symbol may be varied as indicated; and
- (7) directs that the provisions of Schedule 12, Parts 1 to 29 of the 2016
 Regulations shall apply to the direction sign in the same manner as they
 apply to the signs shown in Schedule 12, Part 2 of those Regulations; and
- (8) directs that the provisions of Schedule 12, Parts 1 to 29 of the 2016 Regulations shall apply to the authorised symbol in the same manner as they apply to the symbol shown in Schedule 12, Part 11, Item 19 of those Regulations; and



- (9) directs that the provisions of Schedule 8, Parts 1 and 5 of the 2016 Regulations shall apply to the authorised signs A and B in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 3 (diagram 818.6) of those Regulations; and
- (10) directs that the provisions of Schedule 8, Parts 1 and 5 of the 2016
 Regulations shall apply to the authorised sign C in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 5 (diagram 894) of those Regulations; and
- (11) directs that the provisions of Schedule 13, Parts 5, 7, 9 and 12 of the 2016 Regulations shall apply to the authorised signs D and E in the same manner as they apply to the sign shown in Schedule 13, Part 6, Item 37 (diagram 7014) of those Regulations.

3.

- (1) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised signs A and B in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 3 (diagram 818.6) of those Regulations.
- (2) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised sign C in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 5 (diagram 894) to those Regulations.
- (3) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised signs D and E in the same manner as they apply to the sign shown in Schedule 13, Part 6, Item 37 (diagram 7014) of those Regulations.



- (4) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised symbol in the same manner as they apply to the symbol shown in Schedule 12, Part 11, Item 19 of those Regulations.
 - 4. The Secretary of State hereby directs that –
- (1) Without prejudice to any regulations made under paragraph 22 (1) (e) of Schedule 9 to the Road Traffic Regulation Act 1984; the authorised signs A, B, D and E may be placed on or near any road in Greater London in sufficient numbers and in appropriate positions to indicate to all traffic in advance of or entering the London Ultra Low Emission Zone the nature of the provisions of a Scheme.
- (2) Without prejudice to any regulations made under paragraph 22 (1) (e) of Schedule 9 to the Road Traffic Regulation Act 1984; the authorised sign C may be placed on or near any road in Greater London in sufficient numbers and in appropriate positions as a reminder to drivers within a zone in which cameras are used to enforce traffic regulations pursuant to the London Ultra Low Emission Zone.
- (3) Without prejudice to any regulations made under paragraph 22 (1) (e) of Schedule 9 to the Road Traffic Regulation Act 1984; the direction sign incorporating the authorised symbol may be placed on or near any road in Greater London in sufficient numbers and in appropriate positions to indicate to all traffic in advance of or entering the London Ultra Low Emission Zone the nature of the provisions of a Scheme.



- (4) The authorised signs A-E and the authorised symbol when incorporated on the direction sign, may be placed only as appropriate to indicate the provisions of a Scheme.
- (5) Without prejudice to any statutory provision to the like effect, it is a condition of this authorisation that the placing of the authorised signs A-E or the direction sign incorporating the authorised symbol on or near the said roads shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised signs A-E and/or the direction sign, and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.


This authorisation replaces the earlier one dated 12 December 2019 under reference GT50/139/0176 which is hereby revoked.

Dated 2020

Signed by authority of the Secretary of State







Sign A



X-height, sw	Width, mm	Height, mm	Area, m2
60	645	1180	0.76
75	810	1470	1.19
100	1080	1965	2.12
150	1615	2945	4.76
200	2155	3925	8.46
250	2695	4905	13.22
300	3235	5890	19.05

NOTES:

Department for Transport

Date: 18 December 2019

Number: GT50/139/0177-1

- The legend is from the Transport Medium alphabet at the x-heights shown in the table
- COLOURS: Main panel Background: Blue Border: White

Symbol patch: White

'ULEZ' symbol: Green (Light Brunswick Green).

DIMENSIONS: x-heights are in millimetres, other dimensions are in stroke widths based on the x-height (4sw = x-height).

Distance may be varied or omitted.

- Text may be substituted to describe location of the zone.
- Arrow may be added. If arrow is placed directly below symbol patch, then the bottom panel may be omitted.

					_
P02	04.12.19	Amendments following DfT comments	AJJ	СР	LP
rev	date	details	drn	chk	арр

Ultra Low Emission Zone Extension Proposed Advance Informatory Sign Sign K




Traffic Design Engineering

Palestra 197 Blackfriars Road London SEI 8NJ

date	scale	drn	chk	app	sheet no
NOV 19	N.T.S @ A4	AJJ	LP	KVT	0003 OF 0010
suitability					revision
SI	COORDIN	ATION	(FOR I	JSE)	P02

ULEX-RSM-TSL-ZZ-DR-TE-Au-0003

Crown copyright and database rights 2019 Ordnance Survey 1000359:





Sign B

NOTES:

- The legend is from the Transport Medium alphabet at the x-heights shown in the table.
- The tile outlines do not form part of the sign.
 COLOURS: Top panel

X-height, sw	Width, mm	Height, mm	Area, m2
60	645	1710	1.10
75	810	2140	1.73
100	1080	2850	3.08
150	1615	4275	6.90
200	2155	5700	12.28
250	2695	7125	19.20
300	3235	8550	27.66


S: Top panel
Background: Blue
Legend: White
Border: White
Top symbol patch: White
'ULEZ' symbol: Green (Light Brunswick Green)
Bottom symbol patch: Green (Light Brunswick Green)

Bottom panel Legend: White Background: Blue Border: White

'ZONE' symbol: White

- DIMENSIONS: x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the sign (4sw = x-height).
- 5. The distance may be varied.

						Transport for London TfL Engineering Traffic Design Engineering
P03	05.12.19	Amendments following DfT comments	AJJ	СР	LP	Palestra 197 Blackfriars Road
P02	04.12.19	Amendments following DfT comments	AJJ	СР	LP	London SE1 8NJ
rev	date	details	drn	chk	арр	
borou	gh					date scale dm chk app sheet no NOV 19 N.T.S.@ A4 AJJ LP KVT 0005 OF 0010
	Jltra Lo	ow Emission Zone				SI COORDINATION (FOR USE)
P	ropos	ed Advance Inforn Sign M	natory	/ Sigi	n	ULEX-RSM-TSL-ZZ-DR-TE-Au-0005
						projectowner asset _llocation_typeroleoption number © Crown copyright and database rights 2019 Ordnance Survey 100035971




Sign C




X-height, sw	Width, mm	Height, mm	Area (m²)
50	415	695	0.29
60	495	835	0.41
75	620	1040	0.64
100	825	1390	1.15

NOTES:

- The legend is from the Transport Medium alphabet at the x-heights shown in the table.
 COLOURS: Main panel
- I. COLOURS: Main panel
 Background: Blue
 Border: White
 Symbol patch: White
 'ULEZ' symbol: Green (Light Brunswick Green)
 'Camera' symbol: Black.
- 3. DIMENSIONS: x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the sign (4sw = x-height).





Sign D

ULTRA LOW EMISSION ZONE

NEW
BOUNDARY
WILL OPERATE
HERE FROM
25th OCTOBER

x-heig	ht, mm				Total height
Boundary sign	Main sign	Width (mm)	Height (mm)	Area (m2)	inc. grey area (mm)
62.5	37.4	630	825	0.52	1085
75	44.8	755	990	0.75	1305
100	59.6	1005	1320	1.33	1735
150	89.2	1505	1975	2.97	2605
200	119.2	2010	2635	5.30	3475
250	148.8	2510	3290	8.26	4345
300	178.8	3015	3955	11.92	5210

NOTES:

- The legend is from the Transport Medium alphabet at the x-heights shown in the table.
- 2. COLOURS: Top panel
 Background: Red
 Legend & Border: White

Bottom panel Background: Red Legend & Border: White

 DIMENSIONS: x-heights are in millimetres, other dimensions are in stroke widths based on the x-height (4sw = x-height).







Sign E

X-height, mm	Width, mm	Height, mm	Area (m²)
60	1695	375	0.64
75	2115	470	0.99
100	2820	625	1.76

NOTES:

- 1. The legend is from the Transport Medium alphabet at the x-heights shown in the table.
- 2. COLOURS: Main panel

Background: Red


Border: White

Symbol patch: White

'ULEZ' symbol: Green (Light Brunswick Green).

 DIMENSIONS: x-heights are in millimetres, other dimensions are in stroke widths based on the x-height (4sw = x-height).





NOTES:

COLOURS: Border: Green (Light Brunswick Green)

Background: White

ULEZ Character: Green (Light Brunswick Green)

DIMENSIONS: Symbol sizes are shown in the table below. The size
used will depend on the sign on which the symbol is placed. Sizes are
shown in stroke widths (sw) relate to the x-height of the main sign.
(4sw = x-height)

Table	of symbol sizes	, mm
D1	D2	D3
16.5 sw dia	14.5 sw dia	3.045 sw
20.5 sw dia	18.5 sw dia	3.885 sw

NOTE: Values of D2 and D3 shall be varied proportionally for symbol diameters D1 not shown in the table.

Authorised Symbol

Traffic Design Engineering TfL Engineering Palestra 197 Blackfriars Road London SEI 8NJ rev date details drn chk app NOV 19 N.T.S @ A4 AJJ LP KVT 0009 OF 0010 suitability Ultra Low Emission Zone Extension SI COORDINATION (FOR USE) P01 ULEZ Symbol on Light Backgrounds Sign Q ULEX-RSM-TSL-ZZ-DR-TE-Au-0009 © Crown copyright and database rights 2019 Ordnance Survey 10003597