

Road Traffic Regulation Act 1984 Sections 64 and 65

Authorisation of traffic signs and special directions

Accessible transcript

Secretary of State for Transport's traffic authorisation of traffic signs for the purpose of giving directions to road users on the M56 motorway between junctions 6 and 8 and where Highways England is the traffic authority.

The following pages contain a copy of the text from the Secretary of State for Transport's traffic authorisation regarding the above traffic signs.

A scanned copy of the signed authorisation and supporting documents from the application are appended to this letter. The supporting material is submitted to the Department for Transport by a third party. You should refer to the party involved for accessible copies of the supporting material.



ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65 AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS

The Secretary of State for Transport, in exercise of his powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984, and all other powers enabling him in that behalf for the purpose of giving directions to road users on the M56 motorway between junctions 6 and 8 and where Highways England is the traffic authority, hereby:-

- authorises the erection at or within 5 metres of the site shown schematically on the attached plan numbered GT50/198/0086-1 of a traffic sign (hereinafter referred to as "the authorised sign") conforming as to size, colour and character with that shown on the attached drawing numbered GT50/198/0086-2; and
- directs that the provisions of Schedule 12, Parts 1 to 29 of the Traffic Signs Regulations 2016 (Part 1 of S.I. 2016/362, "the 2016 Regulations") shall apply to the authorised sign in the same manner as they apply to the signs shown in Schedule 12, Part 2, Item 1 and in Schedule 12, Part 9, Item 5 of those Regulations; and
- 3. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the erection of the authorised sign at or near the said sites shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised sign and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.



The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised sign in the same manner as they apply to the signs shown in Schedule 12, Part 2, Item 1 and in Schedule 12, Part 9, Item 5 to those Regulations.

Dated 10 August 2021

| Signed by authority of the Secretary of State |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| A Delegated Official of the Department for Transport |



SCANNED AUTHORISATION AND SUPPORTING DOCUMENTS FOLLOW



ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65 AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS

The Secretary of State for Transport, in exercise of his powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984, and all other powers enabling him in that behalf for the purpose of giving directions to road users on the M56 motorway between junctions 6 and 8 and where Highways England is the traffic authority, hereby:-

- authorises the erection at or within 5 metres of the site shown schematically on the attached plan numbered GT50/198/0086-1 of a traffic sign (hereinafter referred to as "the authorised sign") conforming as to size, colour and character with that shown on the attached drawing numbered GT50/198/0086-2; and
- directs that the provisions of Schedule 12, Parts 1 to 29 of the Traffic Signs Regulations 2016 (Part 1 of S.I. 2016/362, "the 2016 Regulations") shall apply to the authorised sign in the same manner as they apply to the signs shown in Schedule 12, Part 2, Item 1 and in Schedule 12, Part 9, Item 5 of those Regulations; and
- 3. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the erection of the authorised sign at or near the said sites shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised sign and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.



The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised sign in the same manner as they apply to the signs shown in Schedule 12, Part 2, Item 1 and in Schedule 12, Part 9, Item 5 to those Regulations.


Dated 10 August 2021

Signed by authority of the Secretary of State






A Delegated Official of the Department for Transport



GS1 - 1/4 Mile Gantry (Gantry ref GA-38)







Date: 15 July 2021

Number: GT50/198/0086-2

| Scheme Re | ef. | SMP M56 J6-8 | | |
|------------|------|------------------|----------|----------------------|
| Sign Re | ef. | GS1 - Lower Sign | x-height | 250.0 |
| etter colo | ur | BLACK | SIGN FAC | E |
| Backgroun | d | BLUE | Width | 10965 mm |
| Border | | WHITE | Height | 1375 mm |
| 1aterial | Clas | s R3C-UK | Area | 15.08 m ² |
| | | | | |

| Scheme Ref. | SMP M56 J6-8 | | |
|---------------|-----------------------|----------|--------------------|
| Sign Ref. | GS1 - Junction Number | x-height | 250.0 |
| Letter colour | WHITE | SIGN FAC | E |
| Background | BLUE | Width | 1720mm |
| Border | WHITE | Height | 875mm |
| Material Cla | ass R3C-UK | Area | 1.50m ² |

| Scheme Re | f. SMP M56 J6-8 | | |
|-------------|---------------------|-----------|---------------------|
| Sign Re | f. GS1 - Upper Sign | x-height | 250.0 |
| Letter colo | ur WHITE | SIGN FACE | |
| Background | d Blue | Width | 10635mm |
| Border | WHITE | Height | 2345mm |
| Material | Class R3C-UK | Area | 24.93m ² |
| | | | |

| Scheme Ref. | SMP M56 J6-8 | | |
|----------------|---------------------|-----------|---------------------|
| Sign Ref. | GS1 - Backing Board | x-height | 250.0 |
| Letter colour | N/A | SIGN FACE | |
| Background | GREY | Width | 15970mm |
| Border | N/A | Height | 4480mm |
| Material Class | s NR | Area | 71.55m ² |

Notes:

- All dimensions are in millimetres unless shown otherwise.
- The signs shall also be in accordance with BS EN 12899-1:2007 and amendments and shall be clearly CE marked to show compliance.
- Contractors shall be National Highway Sector Scheme (NHSS) qualified as follows; Sign Manufacture - NHSS 9A Sign Installation - NHSS 9B
- The sign faces shall be reflectorised by the application of a retroreflecting material of the grade shown to all areas except those coloured black or grey, which shall be class NR1. The back of the sign shall be non-reflective and grey in colour.
- The sign substrate shall be aluminium/LDPE composite or GRP material and marked as 'no scrap value' or similar to deter theft.
- Spacing between right hand side of arrow in upper sign and outer border of lower sign is 27.11SW.

| Notes: | | | | | | | 000 | |
|--|---|---|---------|-------|-------|--------|--------|--|
| All dimensions are in millimetres unless shown | | | | | | | | |
| 2 | otherwise. 2. The signs shall also be in accordance with BS EN 12899-1:2007 and amendments and shall | | | | | | | |
| be clearly CE marked to show compliance. 3. Contractors shall be National Highway Sector Scheme (NHSS) qualified as follows; Sign Manufacture - NHSS 9A | | | | | | | | |
| Notes: 1. All dimensions are in millimetres unless shown otherwise. 2. The signs shall also be in accordance with BS EN 12899-1:2007 and amendments and shall be clearly CE marked to show compliance. 3. Contractors shall be National Highway Sector Scheme (NHSS) qualified as follows; Sign Manufacture - NHSS 9A Sign Installation - NHSS 9B 4. The sign faces shall be reflectorised by the application of a retroreflecting material of the grade shown to all areas except those coloured black or grey, which shall be class NR1. The back of the sign shall be non-reflective and grey in colour. 5. The sign substrate shall be aluminium/LDPE composite or GRP material and marked as 'no scrap value' or similar to deter theft. 6. Spacing between right hand side of arrow in upper sign and outer border of lower sign is 27.11SW. | | | | | | | | |
| 5 | . The | sign substrate shall be aluminium/ | | | | | rawi | |
| | | nposite or GRP material and marke ap value' or similar to deter theft. | d as 'r | 10 | | | 2-D | |
| 6 | | icing between right hand side of ari | row in | | | | s\DF | |
| | | er sign and outer border of lower si I1SW. | ign is | | | | тмау | |
| | 21. | 110W. | | | | | High | |
| | | | | | | | i×i | |
| | | | | | | | OH-C | |
| | | | | | | | 4rup\(| |
| | | | | | | | B\01 | |
| | | | | | | | P D& | |
| | | | | | | | 3 SM | |
| | | | | | | | 3 J6-8 | |
| P01 | 02/12/19 | FOR SES REVIEW | DH | нн | LM | ON | s/M56 | |
| P02 | 04/03/21 | FOR NON PRESCRIBED SIGN APPLICATION | ET | нн | НВ | НВ | nent | |
| P03 | 16/04/21 | UPDATED TO INCORPORATE SRD COMMEN | IT ET | нн | НВ | | Jocur | |
| P04 | 20/05/21 | UPDATED TO INCORPORATE SRD COMMEN | T ET | нн | НВ | | H, | |
| Rev. | Date | Description | Ву | Chk'd | App'd | Auth'd | J. | |

Blythe Gate Blythe Valley Park Tel +44 121 213 3000 Fax +44 121 213 3001





M56 J6-8 SMART MOTORWAY

GS1 SIGN DETAILS NON-PRESCRIBED SIGN APPLICATION

| Suitability Code S4 | | Suitability Description SUITABLE FOR STAGE APPROVAL | | | | | |
|--------------------------|---------------|---|----------------|--------------------------|--|--|--|
| Scale N/A | By ET | Checked HH | Approved HB | Authorised | | | |
| Original Size A3 | Date 20/05/21 | Date 20/05/21 | Date 20/05/21 | Date | | | |
| Drawing Number HE PIN | Origina | ator | Volume | Project Number 262782-00 | | | |

HE549345 -- HSN -JCN6 - DR - CH -000001

P04