



Department
for Transport

Road Traffic Regulation Act 1984 Sections 64 and 65

Authorisation of traffic signs and special directions

Accessible transcript

Secretary of State for Transport's traffic authorisation of traffic signs for the "the Ultra Low Emission Zone". This zone means the area in respect of which charges are imposed for the keeping or use of motor vehicles not meeting certain emission standards pursuant to a Scheme. "Scheme" means a scheme for imposing charges made in respect of keeping or use of certain motor vehicles not meeting certain emission standards made by Transport for London pursuant to the Greater London Low Emission Zone Charging Order 2006, the Greater London Authority Act 1999, the Transport Act 2000 and of all other powers enabling it in that behalf.

The following pages contain a copy of the text from the Secretary of State for Transport's traffic authorisation regarding the above traffic signs.

A scanned copy of the signed authorisation and supporting documents from the application are appended to this letter. The supporting material is submitted to the Department for Transport by a third party. You should refer to the party involved for accessible copies of the supporting material.



**ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65
AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS**

The Secretary of State for Transport in exercise of powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984, and of all other powers enabling him in that behalf, hereby gives the authorisation contained in paragraphs 2 and 3 of this Instrument and the directions contained in paragraph 4 of this Instrument.

1. In this Instrument –

“authorised sign” means a traffic sign whose placing on roads is authorised by paragraph 2;

“the Ultra Low Emission Zone” means the area in respect of which charges are imposed for the keeping or use of motor vehicles not meeting certain emission standards pursuant to a Scheme;

“Scheme” means a scheme for imposing charges made in respect of keeping or use of certain motor vehicles not meeting certain emission standards made by Transport for London pursuant to the Greater London Low Emission Zone Charging Order 2006, the Greater London Authority Act 1999, the Transport Act 2000 and of all other powers enabling it in that behalf;

“the 2016 Regulations” means the Traffic Signs Regulations and General Directions 2016 (Part 1 of S.I. 2016/362).

2. The Secretary of State hereby:-

(1) authorises the erection at appropriate sites on or near any road in Greater London of a traffic sign (hereinafter referred to as “the authorised sign A”) conforming as to size, colour and character with that referenced “Sign A” in the attached set of drawings numbered GT50/139/0183-1 save that the notes shown on the drawing referenced “Sign A” shall apply to the authorised sign A; and



- (2) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as “the authorised sign B”) conforming as to size, colour and character with that referenced “Sign B” in the said set of drawings save that the notes shown on the drawing referenced “Sign B” shall apply to the authorised sign B; and
- (3) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as “the authorised sign C”) conforming as to size, colour and character with that referenced “Sign C” in the said set of drawings save that the notes shown on the drawing referenced “Sign C” shall apply to the authorised sign C; and
- (4) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as “the authorised sign D”) conforming as to size, colour and character with that referenced “Sign D” in the said set of drawings save that the notes shown on the drawing referenced “Sign D” shall apply to the authorised sign D; and
- (5) directs that the symbol shown in the said set of drawings (hereinafter referred to as “the authorised symbol E”) conforming as to size, colour and character with that referenced “Symbol E” in the said set of drawings may be placed on any appropriate sign in Schedule 12 of the 2016 Regulations in the same manner as the symbols mentioned in Schedule 12, Parts 11 and 20 to those Regulations save that the notes shown on the drawing referenced “Symbol E” shall apply to the authorised symbol E; and
- (6) directs that the symbol shown in the said set of drawings (hereinafter referred to as “the authorised symbol F”) conforming as to size, colour and character with that referenced “Symbol F” in the said set of drawings may be placed on any appropriate sign in Schedule 12 of the 2016 Regulations in the same manner as the symbols mentioned in Schedule 12, Parts 11 and 20 to those Regulations save



that the notes shown on the drawing referenced “Symbol F” shall apply to the authorised symbol F; and

- (7) authorises the erection at the said sites of a traffic sign (hereinafter referred to as “the direction sign”) conforming to the sign shown in Schedule 12, Part 28, Item 22 (diagram 818.4) of the 2016 Regulations, save that (i) the authorised symbol E or F may replace the “weight limit” symbol; (ii) the legend above the “weight limit” symbol may be varied as appropriate or omitted; and
- (8) directs that the variants shown in column 4 of the sign to Schedule 12, Part 28, Item 22 (diagram 818.4) of the 2016 Regulations shall apply to the direction sign; and
- (9) directs that the provisions of Schedule 12, Parts 1 to 29 of the 2016 Regulations shall apply to the direction sign in the same manner as they apply to the signs shown in Schedule 12, Part 2 of those Regulations; and
- (10) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as “the authorised sign G”) conforming as to colour and character with that referenced “Sign G” in the said set of drawings save that (i) the x-height of the sign may be varied between the range 20mm to 400mm; (ii) a reference to the times of operation may be added; (iii) the reference to the date may be varied or omitted; (iv) the name of the traffic authority may be included; (v) panels may be omitted or added; (vi) panel dividers may be omitted; (vii) a distance with or without an arrow pointing to the left or to the right may be added; (viii) an arrow pointing to the left or to the right may be added; (ix) the legends shown in the respective panels may be displayed on variable message signs as defined in Schedule 1 of the 2016 Regulations; (x) the legend in any panel may be varied as appropriate; and (xi) the authorised symbol E or F as appropriate may be displayed on the authorised sign G; and



- (11) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as “the authorised sign H”) conforming as to colour and character with that referenced “Sign H” in the said set of drawings save that (i) the x-height of the sign may be varied between the range 20mm to 400mm; (ii) a reference to the times of operation may be added; (iii) the reference to the date may be varied or omitted; (iv) the name of the traffic authority may be included; (v) a distance with or without an arrow pointing to the left or to the right may be added; (vi) an arrow pointing to the left or to the right may be added; and (vii) the legend may be varied as appropriate; and
- (12) directs that the provisions of Schedule 8, Parts 1 and 5 of the 2016 Regulations shall apply to the authorised sign A in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 1 (diagram 677) of those Regulations; and
- (13) directs that the provisions of Schedule 8, Parts 1 and 5 of the 2016 Regulations shall apply to the authorised sign B in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 3 (diagram 818.6) of those Regulations; and
- (14) directs that the provisions of Schedule 8, Parts 1 and 5 of the 2016 Regulations shall apply to the authorised sign C in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 5 (diagram 894) of those Regulations; and
- (15) directs that the provisions of Schedule 12, Parts 27 and 29 of the 2016 Regulations shall apply to the authorised sign D in the same manner as they apply to the sign shown in Schedule 12, Part 28, Item 22 (diagram 818.4) of those Regulations; and
- (16) directs that the provisions of Schedule 13, Parts 5, 7, 9 and 12 of the 2016 Regulations shall apply to the authorised signs G and H in the same manner as they apply to the sign shown in Schedule 13, Part 6, Item 37 (diagram 7014) of those Regulations.



3.

- (1) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised sign A in the same manner as they do to the sign shown in Schedule 8, Part 4, Item 1 (diagram 677) to those Regulations.
- (2) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised sign B in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 3 (diagram 818.6) to those Regulations.
- (3) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised sign C in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 5 (diagram 894) to those Regulations.
- (4) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised sign D in the same manner as they apply to the sign shown in Schedule 12, Part 28, Item 22 (diagram 818.4) to those Regulations.
- (5) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised symbols E and F in the same manner as they apply to the symbol shown in Schedule 12, Part 11, Item 19 of those Regulations.
- (6) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised signs G and H in the same manner as they apply to the sign shown in Schedule 13, Part 6, Item 37 (diagram 7014) to those Regulations.

4. The Secretary of State hereby directs that –

- (1) Without prejudice to any regulations made under paragraph 22 (1) (e) of Schedule 9 to the Road Traffic Regulation Act 1984; the authorised signs A, B, D, G and H may be placed on or near any road in Greater London in sufficient numbers and in appropriate positions to indicate to all traffic in advance of or entering the Ultra Low Emission Zone the nature of the provisions of a Scheme.



- (2) Without prejudice to any regulations made under paragraph 22 (1) (e) of Schedule 9 to the Road Traffic Regulation Act 1984; the authorised sign C may be placed on or near any road in Greater London in sufficient numbers and in appropriate positions as a reminder to drivers at the entry of or within a zone in which cameras are used to enforce traffic regulations pursuant to the Ultra Low Emission Zone.
- (3) Without prejudice to any regulations made under paragraph 22 (1) (e) of Schedule 9 to the Road Traffic Regulation Act 1984; the direction sign incorporating the authorised symbols E or F may be placed on or near any road in Greater London in sufficient numbers and in appropriate positions to indicate to all traffic in advance of or entering the Ultra Low Emission Zone the nature of the provisions of a Scheme.
- (4) Without prejudice to any statutory provision to the like effect, it is a condition of this authorisation that the placing of the authorised signs A, B, C, D, G, H and the direction sign incorporating the authorised symbol E or F on or near the said roads shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised signs A, B, C, D, G, H and/or the direction sign, and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.

Dated *20 July 2022*

Signed by authority of the Secretary of State

.....

A Delegated Official of the Department for Transport



Department
for Transport

**SCANNED
AUTHORISATION
AND SUPPORTING
DOCUMENTS
FOLLOW**



**ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65
AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS**

The Secretary of State for Transport in exercise of powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984, and of all other powers enabling him in that behalf, hereby gives the authorisation contained in paragraphs 2 and 3 of this Instrument and the directions contained in paragraph 4 of this Instrument.

1. In this Instrument –

“authorised sign” means a traffic sign whose placing on roads is authorised by paragraph 2;

“the Ultra Low Emission Zone” means the area in respect of which charges are imposed for the keeping or use of motor vehicles not meeting certain emission standards pursuant to a Scheme;

“Scheme” means a scheme for imposing charges made in respect of keeping or use of certain motor vehicles not meeting certain emission standards made by Transport for London pursuant to the Greater London Low Emission Zone Charging Order 2006, the Greater London Authority Act 1999, the Transport Act 2000 and of all other powers enabling it in that behalf;

“the 2016 Regulations” means the Traffic Signs Regulations and General Directions 2016 (Part 1 of S.I. 2016/362).

2. The Secretary of State hereby:-

(1) authorises the erection at appropriate sites on or near any road in Greater London of a traffic sign (hereinafter referred to as “the authorised sign A”) conforming as to size, colour and character with that referenced “Sign A” in the attached set of drawings numbered GT50/139/0183-1 save that the notes shown on the drawing referenced “Sign A” shall apply to the authorised sign A; and



- (2) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as “the authorised sign B”) conforming as to size, colour and character with that referenced “Sign B” in the said set of drawings save that the notes shown on the drawing referenced “Sign B” shall apply to the authorised sign B; and
- (3) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as “the authorised sign C”) conforming as to size, colour and character with that referenced “Sign C” in the said set of drawings save that the notes shown on the drawing referenced “Sign C” shall apply to the authorised sign C; and
- (4) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as “the authorised sign D”) conforming as to size, colour and character with that referenced “Sign D” in the said set of drawings save that the notes shown on the drawing referenced “Sign D” shall apply to the authorised sign D; and
- (5) directs that the symbol shown in the said set of drawings (hereinafter referred to as “the authorised symbol E”) conforming as to size, colour and character with that referenced “Symbol E” in the said set of drawings may be placed on any appropriate sign in Schedule 12 of the 2016 Regulations in the same manner as the symbols mentioned in Schedule 12, Parts 11 and 20 to those Regulations save that the notes shown on the drawing referenced “Symbol E” shall apply to the authorised symbol E; and
- (6) directs that the symbol shown in the said set of drawings (hereinafter referred to as “the authorised symbol F”) conforming as to size, colour and character with that referenced “Symbol F” in the said set of drawings may be placed on any appropriate sign in Schedule 12 of the 2016 Regulations in the same manner as the symbols mentioned in Schedule 12, Parts 11 and 20 to those Regulations save



that the notes shown on the drawing referenced “Symbol F” shall apply to the authorised symbol F; and

- (7) authorises the erection at the said sites of a traffic sign (hereinafter referred to as “the direction sign”) conforming to the sign shown in Schedule 12, Part 28, Item 22 (diagram 818.4) of the 2016 Regulations, save that (i) the authorised symbol E or F may replace the “weight limit” symbol; (ii) the legend above the “weight limit” symbol may be varied as appropriate or omitted; and
- (8) directs that the variants shown in column 4 of the sign to Schedule 12, Part 28, Item 22 (diagram 818.4) of the 2016 Regulations shall apply to the direction sign; and
- (9) directs that the provisions of Schedule 12, Parts 1 to 29 of the 2016 Regulations shall apply to the direction sign in the same manner as they apply to the signs shown in Schedule 12, Part 2 of those Regulations; and
- (10) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as “the authorised sign G”) conforming as to colour and character with that referenced “Sign G” in the said set of drawings save that (i) the x-height of the sign may be varied between the range 20mm to 400mm; (ii) a reference to the times of operation may be added; (iii) the reference to the date may be varied or omitted; (iv) the name of the traffic authority may be included; (v) panels may be omitted or added; (vi) panel dividers may be omitted; (vii) a distance with or without an arrow pointing to the left or to the right may be added; (viii) an arrow pointing to the left or to the right may be added; (ix) the legends shown in the respective panels may be displayed on variable message signs as defined in Schedule 1 of the 2016 Regulations; (x) the legend in any panel may be varied as appropriate; and (xi) the authorised symbol E or F as appropriate may be displayed on the authorised sign G; and



- (11) authorises the erection at the said sites on the said roads of a traffic sign (hereinafter referred to as “the authorised sign H”) conforming as to colour and character with that referenced “Sign H” in the said set of drawings save that (i) the x-height of the sign may be varied between the range 20mm to 400mm; (ii) a reference to the times of operation may be added; (iii) the reference to the date may be varied or omitted; (iv) the name of the traffic authority may be included; (v) a distance with or without an arrow pointing to the left or to the right may be added; (vi) an arrow pointing to the left or to the right may be added; and (vii) the legend may be varied as appropriate; and
- (12) directs that the provisions of Schedule 8, Parts 1 and 5 of the 2016 Regulations shall apply to the authorised sign A in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 1 (diagram 677) of those Regulations; and
- (13) directs that the provisions of Schedule 8, Parts 1 and 5 of the 2016 Regulations shall apply to the authorised sign B in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 3 (diagram 818.6) of those Regulations; and
- (14) directs that the provisions of Schedule 8, Parts 1 and 5 of the 2016 Regulations shall apply to the authorised sign C in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 5 (diagram 894) of those Regulations; and
- (15) directs that the provisions of Schedule 12, Parts 27 and 29 of the 2016 Regulations shall apply to the authorised sign D in the same manner as they apply to the sign shown in Schedule 12, Part 28, Item 22 (diagram 818.4) of those Regulations; and
- (16) directs that the provisions of Schedule 13, Parts 5, 7, 9 and 12 of the 2016 Regulations shall apply to the authorised signs G and H in the same manner as they apply to the sign shown in Schedule 13, Part 6, Item 37 (diagram 7014) of those Regulations.



3.

- (1) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised sign A in the same manner as they do to the sign shown in Schedule 8, Part 4, Item 1 (diagram 677) to those Regulations.
- (2) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised sign B in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 3 (diagram 818.6) to those Regulations.
- (3) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised sign C in the same manner as they apply to the sign shown in Schedule 8, Part 4, Item 5 (diagram 894) to those Regulations.
- (4) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised sign D in the same manner as they apply to the sign shown in Schedule 12, Part 28, Item 22 (diagram 818.4) to those Regulations.
- (5) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised symbols E and F in the same manner as they apply to the symbol shown in Schedule 12, Part 11, Item 19 of those Regulations.
- (6) The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised signs G and H in the same manner as they apply to the sign shown in Schedule 13, Part 6, Item 37 (diagram 7014) to those Regulations.

4. The Secretary of State hereby directs that –


- (1) Without prejudice to any regulations made under paragraph 22 (1) (e) of Schedule 9 to the Road Traffic Regulation Act 1984; the authorised signs A, B, D, G and H may be placed on or near any road in Greater London in sufficient numbers and in appropriate positions to indicate to all traffic in advance of or entering the Ultra Low Emission Zone the nature of the provisions of a Scheme.



- (2) Without prejudice to any regulations made under paragraph 22 (1) (e) of Schedule 9 to the Road Traffic Regulation Act 1984; the authorised sign C may be placed on or near any road in Greater London in sufficient numbers and in appropriate positions as a reminder to drivers at the entry of or within a zone in which cameras are used to enforce traffic regulations pursuant to the Ultra Low Emission Zone.
- (3) Without prejudice to any regulations made under paragraph 22 (1) (e) of Schedule 9 to the Road Traffic Regulation Act 1984; the direction sign incorporating the authorised symbols E or F may be placed on or near any road in Greater London in sufficient numbers and in appropriate positions to indicate to all traffic in advance of or entering the Ultra Low Emission Zone the nature of the provisions of a Scheme.
- (4) Without prejudice to any statutory provision to the like effect, it is a condition of this authorisation that the placing of the authorised signs A, B, C, D, G, H and the direction sign incorporating the authorised symbol E or F on or near the said roads shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised signs A, B, C, D, G, H and/or the direction sign, and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.


Dated *20 July 2022*

Signed by authority of the Secretary of State



A Delegated Official of the Department for Transport

Sign A



X-height mm		Width (mm)	Height (mm)	Area (m ²)
Top panel	Main sign			
-	62.5	630	1145	0.72
	75	755	1375	1.04
	100	1005	1835	1.84
	150	1510	2750	4.15
	200	2010	3670	7.38
	250	2510	4590	11.52
	300	3015	5505	16.60

NOTES:

- The legend is from the Transport Heavy alphabet at the x-heights shown in the table. "Emission" and "ZONES" text is from the Transport Medium alphabet.
- The tile outlines do not form part of the sign.
- COLOURS: **Main sign**
 Background: Green (Light Brunswick Green, Pantone 370c)
 Legend: White
 Border: Black
 Symbol patch: White
 'LEZ -ULEZ' symbol: Green (Light Brunswick Green, Pantone 370c)

Top panel
 Legend & symbol: Blue (Pantone 072)
 Background: White
 Border: Black

Bottom panel
 Legend: Black
 Background: White
 Border: Black
- DIMENSIONS: x-heights are in millimeters, other dimensions are in stroke widths based on the x-height of the main panel (4sw = x-height).
- The x-height may be varied as per the sizes shown in the table above.
- The legend in the bottom panel may be varied to a permitted expressions of time periods, days and dates as described in TSRGD 2016.
- The bottom panel may be omitted.

Department for Transport

Date: 15 July 2022

Number: GT50/139/0183-1

TfL RESTRICTED

						Project
						ULEZ 2023
						Originator
						Transport for London
						Asset Classification
						Traffic Signs & Road Markings
						Location
						Multiple Boroughs
						Scale
						NTS @ A4
						Sheet no
						3 of 6

Transport for London

suitability | revision


S1 | COORDINATION (FOR USE) | P01

drawing No

STPJ274-TFL-120-ZZ_XX-DRG-TR-00003

© Crown copyright and database rights 2022 Ordnance Survey 100035971

Sign B



X-height (mm)	Width (mm)	Height (mm)	Area (m ²)
60	615	1080	0.66
75	770	1350	1.04
100	1025	1800	1.85
150	1540	2700	4.16
200	2060	3600	7.42
250	2570	4500	11.57
300	3090	5400	16.69

NOTES:

- The legend is from the Transport Medium alphabet at the x-heights shown in the table.
- 'LEZ-ULEZ' symbol text is from the Transport Heavy alphabet at the x-heights shown in the table.
- The tile outlines do not form part of the sign.
- COLOURS:
 - Main panel:**
 - Background: Blue
 - Border: White
 - Legend: White
 - Symbol patch: White
 - 'LEZ-ULEZ' symbol: Green (Light Brunswick Green, Pantone 370c).
 - Bottom panel:**
 - Background: Blue
 - Border: White
 - Legend: White.
- Distance may be varied or omitted.
- The bottom panel may be omitted.
- The x-height may be varied as per the sizes shown in the table above.
- Text may be substituted to describe location of the zone.
- The use of left / right only to be used in combination with ahead, all in text.
- Arrow may be added. If arrow is placed directly below 'ZONES', then the bottom panel may be omitted.

TfL RESTRICTED


Project					
ULEZ 2023					
Originator					
Transport for London					
Asset Classification					
Traffic Signs & Road Markings					
Location					
Multiple Boroughs					
Scale			Sheet no		
NTS @ A4			4 of 6		
P01 29-06-22 For DfT approval AS CAH LP rev date details drn chk app					
Advanced Information Sign Sign D					



suitability	revision
S1	COORDINATION (FOR USE) P01
drawing No	
STPJ274-TFL-120-ZZ_XX-DRG-TR-00004	

© Crown copyright and database rights 2022 Ordnance Survey 100035971

Sign C



X-height (mm)	Width (mm)	Height (mm)	Area (m ²)
50	420	850	0.36
60	505	1020	0.52
75	630	1275	0.80
100	840	1700	1.43

NOTES:

1. The legend is from the Transport Medium alphabet at the x-heights shown in the table.
2. 'LEZ-ULEZ' symbol text is from the Transport Heavy alphabet at the x-heights shown in the table.
3. COLOURS: **Main panel**

Background: Blue
 Border: Black / White (When top panel omitted)
 Symbol patch: White
 'LEZ-ULEZ' symbol: Green (Light Brunswick Green, Pantone 370c)
 'Camera' symbol: Black.

Top panel

Legend & symbol: Blue (Pantone 072)
 Background: White
 Border: Black

4. The name and logo of the traffic authority in the top panel may be omitted.
5. DIMENSIONS: x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the sign (4sw = x-height).
6. The x-height may be varied as per the sizes shown in the table above.

TfL RESTRICTED


Project					
ULEZ 2023					
Originator					
Transport for London					
Asset Classification					
Traffic Signs & Road Markings					
Location					
Multiple Boroughs					
Scale			Sheet no		
NTS @ A4			5 of 6		
P01 29-06-22 For DfT approval AS CAH LP rev date details drn chk app In Zone Repeater Sign Sign E					



suitability	revision
S1	COORDINATION (FOR USE) P01
drawing No	
STPJ274-TFL-120-ZZ_XX-DRG-TR-00005	

© Crown copyright and database rights 2022 Ordnance Survey 100035971

Sign D



X-height (mm)	Width (mm)	Height (mm)	Area (m ²)
50	450	660	0.30
60	535	795	0.43
75	670	995	0.67
100	895	1325	1.19

NOTES:

- The legend is from the Transport Medium alphabet at the x-heights shown in the table.
- 'LEZ-ULEZ' symbol text is from the Transport Heavy alphabet at the x-heights shown in the table.
- COLOURS: **Main panel**
 Background: Blue
 Border: White
 Symbol patch: White
 'LEZ-ULEZ' symbol: Green (Light Brunswick Green, Pantone 370c).
- DIMENSIONS: x-heights are in millimetres, other dimensions are in stroke widths based on the x-height of the sign ($4sw = x\text{-height}$).
- The x-height may be varied as per the sizes shown in the table above.
- Distance may be varied or omitted.
- Arrow may be reversed or omitted.

TfL RESTRICTED


Project																	
ULEZ 2023																	
Originator																	
Transport for London																	
Asset Classification																	
Traffic Signs & Road Markings																	
Location																	
Multiple Boroughs																	
Scale			Sheet no														
NTS @ A4			6 of 6														
<table border="1"> <tr> <td>P01</td> <td>29-06-22</td> <td>For DfT approval</td> <td>AS</td> <td>CAH</td> <td>LP</td> </tr> <tr> <td>rev</td> <td>date</td> <td>details</td> <td>dwn</td> <td>chk</td> <td>app</td> </tr> </table>						P01	29-06-22	For DfT approval	AS	CAH	LP	rev	date	details	dwn	chk	app
P01	29-06-22	For DfT approval	AS	CAH	LP												
rev	date	details	dwn	chk	app												
Ancillary Sign Sign F																	



suitability	revision
S1	COORDINATION (FOR USE) P01
drawing No	
STPJ274-TFL-120-ZZ_XX-DRG-TR-00006	

© Crown copyright and database rights 2022 Ordnance Survey 100035971

Symbol E




NOTES:

- 'LEZ' and 'ULEZ' symbols text are from the Transport Heavy alphabet.
- COLOURS:
Background: White
'LEZ' and 'ULEZ' symbol: Green (Light Brunswick Green, Pantone 370c).
- DIMENSIONS: Symbol sizes are shown in the table below. The size used will depend on the sign on which the symbol is placed. Sizes are shown in stroke widths (sw) relate to the x-height of the main sign (4sw = x-height).
- This roundel is to be used on dark background signs.
- The x-height may be varied as per the sizes shown in the table below.

Example symbol sizes		
D1	D2	D3
24 sw dia	5.04 sw	2.5 sw
17 sw dia	3.57 sw	1.771 sw

NOTE: Values of D2 and D3 shall be varied proportionally for symbol diameters D1 not shown in the table.

FILE REF:\NINE\LONDON\TFL\LOCAL\SHARE\DRG\TFL\120-ZZ-XX-DRG-TR

TFL RESTRICTED	Project							
	ULEZ 2023							
	Originator						suitability revision S1 COORDINATION (FOR USE) P01	
	Transport for London							
	Asset Classification						drawing No STPJ274-TFL-120-ZZ_XX-DRG-TR-00001	
	Traffic Signs & Road Markings							
Location						© Crown copyright and database rights 2022 Ordnance Survey 100035971		
Multiple Boroughs						Published by: Shah Amil (Engineering) At: 7/12/2022 9:19 AM		
Scale								
NTS @ A4						Sheet no		
						1 of 6		

**LEZ-ULEZ Roundel
On Dark Background Signs
Sign A**

P01	29-06-22	For DfT approval	AS	CAH	LP
rev	date	details	drn	chk	app

Symbol F




NOTES:

- 'LEZ' and 'ULEZ' symbols text are from the Transport Heavy alphabet.
- COLOURS:
Background: White
'LEZ' and 'ULEZ' symbol: Green (Light Brunswick Green, Pantone 370c).
- DIMENSIONS: Symbol sizes are shown in the table below. The size used will depend on the sign on which the symbol is placed. Sizes are shown in stroke widths (sw) relate to the x-height of the main sign (4sw = x-height).
- This roundel is to be used on light background signs. 1sw green ring thickness to be maintained on all the sizes.
- The x-height may be varied as per the sizes shown in the table below.


Example symbol sizes		
D1	D2	D3
24 sw dia	5.04 sw	2.5 sw
17 sw dia	3.57 sw	1.771 sw

NOTE: Values of D2 and D3 shall be varied proportionally for symbol diameters D1 not shown in the table.

FILE REF:\NINE\LONDON\TFL\LOCAL\SHARED\MYPT\DES\SCHEME INFORMATION\ALL AREA\SULEZ 2023\06 DRAWINGS\01 WIP\DRSIGN AUTH\ORISATION\STP\274-TFL-120-ZZ_XX-DRG-TR

TFL RESTRICTED	Project							
	ULEZ 2023							
	Originator						suitability revision S1 COORDINATION (FOR USE) P01	
	Transport for London							
	Asset Classification						drawing No STPJ274-TFL-120-ZZ_XX-DRG-TR-00002	
	Traffic Signs & Road Markings							
Location						© Crown copyright and database rights 2022 Ordnance Survey 100035971		
Multiple Boroughs						Published by: Shah Amil (Engineering) AT: 7/12/2022 9:19 AM		
Scale								
NTS @ A4						2 of 6		
LEZ-ULEZ Roundel On Light Background Signs Sign B								

Sign G



NOTES:

1. The legend is from the Transport Medium alphabet at the x-heights shown.

2. COLOURS:

Background ----- RED

Legend & Border ----- WHITE

LEZ/ULEZ Symbol ----- see details on previous pages

3. DIMENSIONS:

x-heights are in millimetres.

Sign H



x-ht
20 min
400 max

NOTES:

1. The legend is from the Transport Medium alphabet at the x-heights shown.

2. COLOURS:

Background	-----	RED
Legend & Border	-----	WHITE
LEZ/ULEZ Symbol	-----	see details on previous pages

3. DIMENSIONS:

x-heights are in millimetres.

ULEZ boundary map

