



Department  
for Transport

## Road Traffic Regulation Act 1984 Sections 64 and 65

### Authorisation of traffic signs and special directions

#### Accessible transcript

Secretary of State for Transport's traffic authorisation of traffic signs for the purpose of informing road users of entry requirements on roads for which The Royal Borough of Greenwich is the traffic authority.

The following pages contain a copy of the text from the Secretary of State for Transport's traffic authorisation regarding the above traffic signs.

A scanned copy of the signed authorisation and supporting documents from the application are appended to this letter. The supporting material is submitted to the Department for Transport by a third party. You should refer to the party involved for accessible copies of the supporting material.



**ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65**  
**AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS**

The Secretary of State for Transport, in exercise of her powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984, and of all other powers enabling her in that behalf, for the purpose of informing road users of entry requirements on roads for which The Royal Borough of Greenwich is the traffic authority, hereby:-

1. authorises the erection at appropriate sites on the said roads of a traffic sign consisting of a plate (hereinafter referred to as “the authorised plate A”) conforming as to size, colour and character with that shown on the attached drawing numbered GT50/079/0017-1; and
2. directs that the authorised plate A shall only be used with the signs shown in Schedule 3, Part 2, Item 12 (diagram 619) and Schedule 12, Part 20, Item 23 of the Traffic Signs Regulations 2016 (Part I of SI 2016/362, “the 2016 Regulations”); and
3. directs the x-height of the authorised plate A may be varied to the sizes shown on the said drawing when the authorised plate A is used with the sign shown in Schedule 3, Part 2, Item 12 (diagram 619) of the 2016 Regulations; and
4. directs that a distance plate as shown in Schedule 2, Part 5, Item 5 (diagram 572) of the 2016 Regulations may be used in conjunction with the authorised plate A; and
5. directs that the provisions of Schedule 3, Parts 1 to 5 of the 2016 Regulations shall apply to the authorised plate A in the same manner as they apply to the sign described in Schedule 3, Part 3, Item 15 of those Regulations; and
6. directs that the provisions of Schedule 12, Parts 1 to 29 of the 2016 Regulations shall apply to the authorised plate A in the same manner as they apply to the sign shown in Schedule 12, Part 20, Item 45; and



7. directs that it is a condition of this authorisation that the authorised plate A may be placed only to indicate the effect of a corresponding Traffic Regulation Order when the authorised plate A is used with the sign shown in Schedule 3, Part 2, Item 12 (diagram 619); and
8. authorises the erection at appropriate sites on the said roads of a traffic sign consisting of a plate (hereinafter referred to as “the authorised plate B”) conforming as to size, colour and character with that shown on the attached drawing numbered GT50/079/0017-2; and
9. directs that the authorised plate B shall only be used with the signs shown in Schedule 3, Part 2, Item 12 (diagram 619) and Schedule 12, Part 20, Item 23 of the 2016 Regulations; and
10. directs the x-height of the authorised plate B may be varied to the sizes shown on the said drawing when the authorised plate B is used with the sign shown in Schedule 3, Part 2, Item 12 (diagram 619) of the 2016 Regulations; and
11. directs that a distance plate as shown in Schedule 2, Part 5, Item 5 (diagram 572) of the 2016 Regulations may be used in conjunction with the authorised plate B; and
12. directs that the provisions of Schedule 3, Parts 1 to 5 of the 2016 Regulations shall apply to the authorised plate B in the same manner as they apply to the sign described in Schedule 3, Part 3, Item 15 of those Regulations; and
13. directs that the provisions of Schedule 12, Parts 1 to 29 of the 2016 Regulations shall apply to the authorised plate B in the same manner as they apply to the sign shown in Schedule 12, Part 20, Item 45; and
14. directs that it is a condition of this authorisation that the authorised plate B may be placed only to indicate the effect of a corresponding Traffic Regulation Order when the authorised plate B is used with the sign shown in Schedule 3, Part 2, Item 12 (diagram 619); and



15. authorises the erection at appropriate sites on the said roads of a traffic sign consisting of a plate (hereinafter referred to as “the authorised plate C”) conforming as to size, colour and character with that shown on the attached drawing numbered GT50/079/0017-3; and
16. directs that the authorised plate C may only be used with the sign to diagram 953 in Schedule 3, Part 2, Item 33 of the 2016 Regulations and with the sign shown in Schedule 12, Part 20, Item 36 of those Regulations; and
17. directs that the provisions of Schedule 3, Parts 1 to 5 of the 2016 Regulations shall apply to the authorised plate C in the same manner as they apply to the sign described in Schedule 3, Part 3, Item 17 of those Regulations; and
18. directs that the provisions of Schedule 12, Parts 1 to 29 of the 2016 Regulations shall apply to the authorised plate C in the same manner as they apply to the sign shown in Schedule 12, Part 20, Item 45; and
19. directs the x-height of the authorised plate C may be varied to the sizes shown on the said drawing when the authorised plate C is used with the sign shown in Schedule 3, Part 2, Item 33 (diagram 953) of the 2016 Regulations; and
20. directs that a distance plate as shown in Schedule 2, Part 5, Item 5 (diagram 572) of the 2016 Regulations may be used in conjunction with the authorised plate C; and
21. directs that it is a condition of this authorisation that the authorised plate C may be placed only to indicate the effect of a corresponding Traffic Regulation Order; and
22. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the erection of the authorised plates A, B and C at or near the said sites shall continue to have effect only until such day as may be appointed by one month’s notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised



plates A, B and C and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.

The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised plates A and B in the same manner as they apply to the plates described in Schedule 3, Part 3, Item 15 and in Schedule 12, Part 20, Item 45 of those Regulations.

The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised plate C in the same manner as they apply to the plate described in Schedule 3, Part 3, Item 17 and to the sign shown in Schedule 12, Part 20, Item 45 of those Regulations.

Dated *17 September 2024*

Signed by authority of the Secretary of State

.....  
A Delegated Official of the Department for Transport



Department  
for Transport

**SCANNED  
AUTHORISATION  
AND SUPPORTING  
DOCUMENTS  
FOLLOW**



**ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65  
AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS**

The Secretary of State for Transport, in exercise of her powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984, and of all other powers enabling her in that behalf, for the purpose of informing road users of entry requirements on roads for which The Royal Borough of Greenwich is the traffic authority, hereby:-

1. authorises the erection at appropriate sites on the said roads of a traffic sign consisting of a plate (hereinafter referred to as “the authorised plate A”) conforming as to size, colour and character with that shown on the attached drawing numbered GT50/079/0017-1; and
2. directs that the authorised plate A shall only be used with the signs shown in Schedule 3, Part 2, Item 12 (diagram 619) and Schedule 12, Part 20, Item 23 of the Traffic Signs Regulations 2016 (Part I of SI 2016/362, “the 2016 Regulations”); and
3. directs the x-height of the authorised plate A may be varied to the sizes shown on the said drawing when the authorised plate A is used with the sign shown in Schedule 3, Part 2, Item 12 (diagram 619) of the 2016 Regulations; and
4. directs that a distance plate as shown in Schedule 2, Part 5, Item 5 (diagram 572) of the 2016 Regulations may be used in conjunction with the authorised plate A; and
5. directs that the provisions of Schedule 3, Parts 1 to 5 of the 2016 Regulations shall apply to the authorised plate A in the same manner as they apply to the sign described in Schedule 3, Part 3, Item 15 of those Regulations; and
6. directs that the provisions of Schedule 12, Parts 1 to 29 of the 2016 Regulations shall apply to the authorised plate A in the same manner as they apply to the sign shown in Schedule 12, Part 20, Item 45; and



7. directs that it is a condition of this authorisation that the authorised plate A may be placed only to indicate the effect of a corresponding Traffic Regulation Order when the authorised plate A is used with the sign shown in Schedule 3, Part 2, Item 12 (diagram 619); and
8. authorises the erection at appropriate sites on the said roads of a traffic sign consisting of a plate (hereinafter referred to as “the authorised plate B”) conforming as to size, colour and character with that shown on the attached drawing numbered GT50/079/0017-2; and
9. directs that the authorised plate B shall only be used with the signs shown in Schedule 3, Part 2, Item 12 (diagram 619) and Schedule 12, Part 20, Item 23 of the 2016 Regulations; and
10. directs the x-height of the authorised plate B may be varied to the sizes shown on the said drawing when the authorised plate B is used with the sign shown in Schedule 3, Part 2, Item 12 (diagram 619) of the 2016 Regulations; and
11. directs that a distance plate as shown in Schedule 2, Part 5, Item 5 (diagram 572) of the 2016 Regulations may be used in conjunction with the authorised plate B; and
12. directs that the provisions of Schedule 3, Parts 1 to 5 of the 2016 Regulations shall apply to the authorised plate B in the same manner as they apply to the sign described in Schedule 3, Part 3, Item 15 of those Regulations; and
13. directs that the provisions of Schedule 12, Parts 1 to 29 of the 2016 Regulations shall apply to the authorised plate B in the same manner as they apply to the sign shown in Schedule 12, Part 20, Item 45; and
14. directs that it is a condition of this authorisation that the authorised plate B may be placed only to indicate the effect of a corresponding Traffic Regulation Order when the authorised plate B is used with the sign shown in Schedule 3, Part 2, Item 12 (diagram 619); and





15. authorises the erection at appropriate sites on the said roads of a traffic sign consisting of a plate (hereinafter referred to as "the authorised plate C") conforming as to size, colour and character with that shown on the attached drawing numbered GT50/079/0017-3; and
16. directs that the authorised plate C may only be used with the sign to diagram 953 in Schedule 3, Part 2, Item 33 of the 2016 Regulations and with the sign shown in Schedule 12, Part 20, Item 36 of those Regulations; and
17. directs that the provisions of Schedule 3, Parts 1 to 5 of the 2016 Regulations shall apply to the authorised plate C in the same manner as they apply to the sign described in Schedule 3, Part 3, Item 17 of those Regulations; and
18. directs that the provisions of Schedule 12, Parts 1 to 29 of the 2016 Regulations shall apply to the authorised plate C in the same manner as they apply to the sign shown in Schedule 12, Part 20, Item 45; and
19. directs the x-height of the authorised plate C may be varied to the sizes shown on the said drawing when the authorised plate C is used with the sign shown in Schedule 3, Part 2, Item 33 (diagram 953) of the 2016 Regulations; and
20. directs that a distance plate as shown in Schedule 2, Part 5, Item 5 (diagram 572) of the 2016 Regulations may be used in conjunction with the authorised plate C; and
21. directs that it is a condition of this authorisation that the authorised plate C may be placed only to indicate the effect of a corresponding Traffic Regulation Order; and
22. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the erection of the authorised plates A, B and C at or near the said sites shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised




plates A, B and C and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.

The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised plates A and B in the same manner as they apply to the plates described in Schedule 3, Part 3, Item 15 and in Schedule 12, Part 20, Item 45 of those Regulations.

The provisions of Regulations 5, 7, 8 and 11 of the 2016 Regulations shall apply to the authorised plate C in the same manner as they apply to the plate described in Schedule 3, Part 3, Item 17 and to the sign shown in Schedule 12, Part 20, Item 45 of those Regulations.


Dated *17 September 2024*

Signed by authority of the Secretary of State



.....  
A Delegated Official of the Department for Transport

**CERTIFIED TRUE COPY**



Department  
for Transport

Date:  
18/09/2024

**Mon - Fri  
7 - 10 am  
3 - 7 pm  
except  
authorised  
vehicles**

Prescribed x-heights for plate legend:  
37.5, 50, 62.5, 75, 100, 125, 150, 200



Department  
for Transport

Date: 16 September 2024

Number: GT50/079/0017-1



**Prescribed x-heights for plate legend:  
37.5, 50, 62.5, 75, 100, 125, 150, 200**



Department  
for Transport

Date: 16 September 2024

Number: GT50/079/0017-2



Prescribed x-heights for plate legend:  
37.5, 50, 62.5, 75, 100, 125, 150, 200






**Mon - Fri  
7 - 10 am  
3 - 7 pm  
except  
authorised  
vehicles**



**Mon - Fri  
7 - 10 am  
3 - 7 pm  
except  
authorised  
vehicles**


**200 yards**



**Mon - Fri  
7 - 10 am  
3 - 7 pm  
except  
authorised  
vehicles**



# Other traffic



**Mon - Fri  
7 - 10 am  
3 - 7 pm  
except  
authorised  
vehicles**



**Mon - Fri  
7 - 10 am  
3 - 7 pm  
except**



**and  
authorised  
vehicles**



**Mon - Fri  
7 - 10 am  
3 - 7 pm  
except**



**and  
authorised  
vehicles**

**200 yards**



**Mon - Fri  
7 - 10 am  
3 - 7 pm  
except**



**and  
authorised  
vehicles**



**and**



**and**

**authorised  
vehicles**

**Mon - Fri**

**7 - 10 am**

**3 - 7 pm**



**and**



**and**

**authorised  
vehicles**

**Mon - Fri**

**7 - 10 am**

**3 - 7 pm**

**200 yards**



**and**



**and**

**authorised  
vehicles**

**Mon - Fri**

**7 - 10 am**

**3 - 7 pm**